

10/513699

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptaeal1624

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 OCT 02 CA/CAPLUS enhanced with pre-1907 records from Chemisches
Zentralblatt
NEWS 3 OCT 19 BEILSTEIN updated with new compounds
NEWS 4 NOV 15 Derwent Indian patent publication number format enhanced
NEWS 5 NOV 19 WPIX enhanced with XML display format
NEWS 6 NOV 30 ICSD reloaded with enhancements
NEWS 7 DEC 04 LINPADOCDB now available on STN
NEWS 8 DEC 14 BEILSTEIN pricing structure to change
NEWS 9 DEC 17 USPATOLD added to additional database clusters
NEWS 10 DEC 17 IMSDRUGCONF removed from database clusters and STN
NEWS 11 DEC 17 DGENE now includes more than 10 million sequences
NEWS 12 DEC 17 TOXCENTER enhanced with 2008 MeSH vocabulary in
MEDLINE segment
NEWS 13 DEC 17 MEDLINE and LMEDELINE updated with 2008 MeSH vocabulary
NEWS 14 DEC 17 CA/CAPLUS enhanced with new custom IPC display formats
NEWS 15 DEC 17 STN Viewer enhanced with full-text patent content
from USPATOLD
NEWS 16 JAN 02 STN pricing information for 2008 now available
NEWS 17 JAN 16 CAS patent coverage enhanced to include exemplified
prophetic substances
NEWS 18 JAN 28 USPATFULL, USPAT2, and USPATOLD enhanced with new
custom IPC display formats
NEWS 19 JAN 28 MARPAT searching enhanced
NEWS 20 JAN 28 USGENE now provides USPTO sequence data within 3 days
of publication
NEWS 21 JAN 28 TOXCENTER enhanced with reloaded MEDLINE segment
NEWS 22 JAN 28 MEDLINE and LMEDELINE reloaded with enhancements
NEWS 23 FEB 08 STN Express, Version 8.3, now available
NEWS 24 FEB 20 PCI now available as a replacement to DPCI
NEWS 25 FEB 25 IFIREF reloaded with enhancements
NEWS 26 FEB 25 IMSPRODUCT reloaded with enhancements
NEWS 27 FEB 29 WPINDEX/WPIDS/WPIX enhanced with ECLA and current
U.S. National Patent Classification

NEWS EXPRESS FEBRUARY 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 20 FEBRUARY 2008

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items

<12/04/2007>

Erich Leese

NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 15:38:20 ON 03 MAR 2008

=> file rg
'RG' IS NOT A VALID FILE NAME
SESSION CONTINUES IN FILE 'HOME'
Enter "HELP FILE NAMES" at an arrow prompt (=>) for a list of files that are available. If you have requested multiple files, you can specify a corrected file name or you can enter "IGNORE" to continue accessing the remaining file names entered.

=> file reg		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	1.05	1.05

FILE 'REGISTRY' ENTERED AT 15:41:17 ON 03 MAR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 2 MAR 2008 HIGHEST RN 1006303-40-7
DICTIONARY FILE UPDATES: 2 MAR 2008 HIGHEST RN 1006303-40-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdnoc/properties.html>

=>
Uploading C:\Program Files\Stnexp\Queries\10506998erich.str

10/513699



```
chain nodes :
1  8  18  22
ring nodes :
2  3  4  5  6  7  10  11  12  13  14  15
chain bonds :
2-8
ring bonds :
2-3  2-4  3-5  4-6  5-7  6-7  10-11  10-15  11-12  12-13  13-14  14-15
exact/norm bonds :
2-3  2-4  2-8  3-5  4-6  5-7  6-7
normalized bonds :
10-11  10-15  11-12  12-13  13-14  14-15
```

G1:C,N

G2:H,X,OH,NH,NH2,NH3,NO2,Ak,CF3,MeO,EtO,n-PrO,i-PrO,n-BuO,i-BuO,s-BuO,t-BuO,C,O,S

G3:H,OH,NH,NH2,NH3,Ak,MeO,EtO,n-PrO,i-PrO,n-BuO,i-BuO,s-BuO,t-BuO,Cb

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:CLASS 10:Atom 11:Atom
12:Atom 13:Atom 14:CLASS 15:Atom 18:CLASS 19:Atom 22:CLASS 23:Atom

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR

<12/04/2007>

Erich Leese

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

```
=> s l1 full
FULL SEARCH INITIATED 15:42:02 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 173569 TO ITERATE
```

```
100.0% PROCESSED 173569 ITERATIONS 64620 ANSWERS
SEARCH TIME: 00.00.03
```

```
L2 64620 SEA SSS FUL L1
```

```
=> file caplus
COST IN U.S. DOLLARS          SINCE FILE      TOTAL
                                ENTRY      SESSION
FULL ESTIMATED COST          178.36      179.41
```

```
FILE 'CAPLUS' ENTERED AT 15:42:10 ON 03 MAR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)
```

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

```
FILE COVERS 1907 - 3 Mar 2008 VOL 148 ISS 10
FILE LAST UPDATED: 2 Mar 2008 (20080302/ED)
```

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

```
=> s l2 full
L3 16610 L2

=> s l3 and inhibit!
147012 INHIBIT!
L4 466 L3 AND INHIBIT!

=> s l4 and histone deacetylase
35968 HISTONE
26886 HISTONES
41605 HISTONE
      (HISTONE OR HISTONES)
8050 DEACETYLASE
```

10/513699

```
1910 DEACETYLASES
8499 DEACETYLASE
      (DEACETYLASE OR DEACETYLASES)
6882 HISTONE DEACETYLASE
      (HISTONE(W) DEACETYLASE)
L5      2 L4 AND HISTONE DEACETYLASE

=> d ibib abs hitstr tot
```

L5 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2006:1133489 CAPLUS

DOCUMENT NUMBER: 146:155495

TITLE: Cytotoxic effects of histone deacetylase inhibitor FK228 (depsipeptide, formally named FR901228) in combination with conventional anti-leukemia/lymphoma agents against human leukemia/lymphoma cell lines

AUTHOR(S): Kano, Yasuhiko; Akutsu, Miyuki; Tsunoda, Saburo; Izumi, Tohru; Kobayashi, Hiroyuki; Mano, Hiroyuki; Furukawa, Yusuke

CORPORATE SOURCE: Division of Hematology, Tochigi Cancer Center, 4-9-13 Yonan, Utsunomiya, Japan

SOURCE: Investigational New Drugs (2006), Volume Date 2007, 25(1), 31-40

CODEN: INNDDK; ISSN: 0167-6997

PUBLISHER: Springer

DOCUMENT TYPE: Journal

LANGUAGE: English

AB FK228 is a novel antitumor depsipeptide that inhibits histone deacetylases and restores the expression of genes aberrantly suppressed in cancer cells. This agent was shown to have broad antitumor activity in preclin. studies, and is currently under phase I/II evaluations. Because of its wide spectrum of actions, it is reasonable to consider the combination with other anticancer drugs in clin. application. We studied the cytotoxic interaction of FK228 in combination with conventional antileukemic agents using human promyelocytic leukemia HL60, Philadelphia chromosome-pos. (Ph+) chronic myelogenous leukemia KU-812, T-cell lymphoblastic leukemia MOLT3 and Burkitt's lymphoma Raji cell lines. For the combination of FK228 and imatinib, Ph+ leukemia KU812, K562 and TCC-S cell lines were used. The cells were exposed simultaneously to FK228 and other agents for 4 days. Cell growth inhibition was determined by using

3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT) assay. We used the isobologram method of Steel and Peckham to evaluate the cytotoxic interaction at the concentration of drugs that produced 80% cell growth inhibition (IC80). FK228 showed an additive effect with cytarabine, carboplatin, doxorubicin, etoposide, 4-hydroperoxy-cyclophosphamide, 6-mercaptopurine and SN-38 (active metabolite of irinotecan) in all cell lines studied. FK228 with methotrexate and vincristine showed an antagonistic effect in three and one of the four cell lines, resp. FK228 was additive with imatinib in all three Ph+ leukemia cells. Our findings suggest that FK228 is a promising candidate for combining with most anticancer agents except for methotrexate and vincristine, which produce suboptimal effects.

IT 152459-95-5, Imatinib


RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(FK228 showed additive effect in combination with anticancer drugs such as cytarabine, carboplatin, doxorubicin, etoposide, 4-hydroperoxy-cyclophosphamide, 6-mercaptopurine, SN-38 and imatinib in human leukemia/lymphoma cells)

RN 152459-95-5 CAPLUS

CN Benzamide, 4-[(4-methyl-1-piperazinyl)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]- (CA INDEX NAME)

10/513699



REFERENCE COUNT:

35

THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2005:99470 CAPLUS

DOCUMENT NUMBER: 142:197889

TITLE: Fluoro substituted omega-carboxyaryl diphenyl urea for treatment of raf, VEGFR, PDGFR, p38 and flt-3 kinase-mediated diseases

INVENTOR(S): Dumas, Jacques; Boyer, Stephen; Riedl, Bernd; Wilhelm, Scott

PATENT ASSIGNEE(S): Bayer Pharmaceuticals Corporation, USA

SOURCE: PCT Int. Appl., 68 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005009961	A2	20050203	WO 2004-US23500	20040722
WO 2005009961	A3	20050331		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2004259760	A1	20050203	AU 2004-259760	20040722
CA 2532865	A1	20050203	CA 2004-2532865	20040722
US 2005038080	A1	20050217	US 2004-895985	20040722
EP 1663978	A2	20060607	EP 2004-786091	20040722
EP 1663978	B1	20071128		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK			
BR 2004012219	A	20060822	BR 2004-12219	20040722
CN 1856469	A	20061101	CN 2004-80021091	20040722
JP 2006528196	T	20061214	JP 2006-521221	20040722
MX 2006PA00860	A	20060720	MX 2006-PA860	20060123
IN 2006DN00402	A	20070824	IN 2006-DN402	20060123
NO 2006000870	A	20060407	NO 2006-870	20060222
PRIORITY APPLN. INFO.:			US 2003-489102P	P 20030723
			US 2004-540326P	P 20040202
			WO 2004-US23500	W 20040722

OTHER SOURCE(S): CASREACT 142:197889

GI



AB Title compound I is prepared I and salts thereof is prepared in several steps from 3-fluoro-4-nitrophenol, 4-chloro-N-methylpyridine-2-carboxamide and 4-chloro-3-(trifluoromethyl)phenylisocyanate. I inhibits PDGFR tyrosine kinase with IC50 = 83 nM. I is useful for the treatment of, e.g., inflammation and as an antiproliferative agent.

IT 220127-57-1, STI-571

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (combination pharmaceutical; fluoro substituted omega-carboxyaryl di-Ph urea for treatment of raf, VEGFR, PDGFR, p38 and flt-3 kinase-mediated diseases)


RN 220127-57-1 CAPLUS

CN Benzamide, 4-[(4-methyl-1-piperazinyl)methyl]-N-[4-methyl-3-[[4-(3-pyridinyl)-2-pyrimidinyl]amino]phenyl]-, methanesulfonate (1:1) (CA INDEX NAME)

CM 1

CRN 152459-95-5

CMF C29 H31 N7 O



CM 2

CRN 75-75-2

CMF C H4 O3 S



10/513699

<12/04/2007>

Erich Leese

10/513699

```
=> file reg
COST IN U.S. DOLLARS                SINCE FILE      TOTAL
                                     ENTRY      SESSION
FULL ESTIMATED COST                19.18      198.59

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)  SINCE FILE      TOTAL
                                     ENTRY      SESSION
CA SUBSCRIBER PRICE                -1.60      -1.60
```

FILE 'REGISTRY' ENTERED AT 15:44:41 ON 03 MAR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 2 MAR 2008 HIGHEST RN 1006303-40-7
DICTIONARY FILE UPDATES: 2 MAR 2008 HIGHEST RN 1006303-40-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

```
=> file reg
COST IN U.S. DOLLARS                SINCE FILE      TOTAL
                                     ENTRY      SESSION
FULL ESTIMATED COST                2.30      200.89

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)  SINCE FILE      TOTAL
                                     ENTRY      SESSION
CA SUBSCRIBER PRICE                0.00      -1.60
```

FILE 'REGISTRY' ENTERED AT 15:47:34 ON 03 MAR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 2 MAR 2008 HIGHEST RN 1006303-40-7
DICTIONARY FILE UPDATES: 2 MAR 2008 HIGHEST RN 1006303-40-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

10/513699


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10506998allow.str



```
chain nodes :
10 11 20 21 22 23
ring nodes :
1 2 3 4 5 14 15 16 17 18 19 24
chain bonds :
2-18 4-10 10-11 15-20 20-21 20-22 22-23
ring bonds :
1-2 1-5 2-3 3-24 4-5 4-24 14-15 14-19 15-16 16-17 17-18 18-19
exact/norm bonds :
1-2 1-5 2-3 2-18 3-24 4-10 4-5 4-24 10-11 20-21 20-22 22-23
exact bonds :
15-20
normalized bonds :
14-15 14-19 15-16 16-17 17-18 18-19
isolated ring systems :
containing 1 :
```

G1:C,N

G2:Ak,NH2,NO2

G3:O

G4

G5:C,N,Zn,H

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 10:CLASS 11:Atom 14:Atom 15:Atom
16:Atom 17:Atom 18:Atom 19:Atom 20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:Atom

<12/04/2007>

Erich Leese


10/513699

L6 STRUCTURE UPLOADED

=> d l6

L6 HAS NO ANSWERS

L6 STR



G1 C, N

G2 Ak, NH2, NO2

G3 O

G4

G5 C, N, Zn, H

Structure attributes must be viewed using STN Express query preparation.

=> s l6 full

FULL SEARCH INITIATED 15:47:55 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 1429 TO ITERATE

100.0% PROCESSED 1429 ITERATIONS

112 ANSWERS

SEARCH TIME: 00.00.01

L7 112 SEA SSS FUL L6

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

178.36

379.25

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-1.60

FILE 'CAPLUS' ENTERED AT 15:47:58 ON 03 MAR 2008

<12/04/2007>

Erich Leese

10/513699

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 3 Mar 2008 VOL 148 ISS 10
FILE LAST UPDATED: 2 Mar 2008 (20080302/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>



=> s l7 full
L8 9 L7

=> d ibib abs hitstr tot

L8 ANSWER 1 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2007:816930 CAPLUS
 DOCUMENT NUMBER: 147:211903
 TITLE: Preparation of pyrimidine derivatives as histone
 deacetylase inhibitors
 INVENTOR(S): Marconnet-Decrane, Laurence Francoise Bernadette;
 Gaurrand, Sandrine Francoise Dominique; Angibaud,
 Patrick Rene
 PATENT ASSIGNEE(S): Janssen Pharmaceutica N.V., Belg.
 SOURCE: PCT Int. Appl., 62pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007082874	A1	20070726	WO 2007-EP50371	20070116
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				

PRIORITY APPLN. INFO.: EP 2006-100570 A 20060119
 OTHER SOURCE(S): MARPAT 147:211903
 GI



AB The title compds. with general formula I [wherein R1 = OH or substituted phenyl; X = N or CH; R2 = amino, alkylamino, alkoxy, OH, etc.; R3 = (un)substituted Ph, naphthalene, or heterocycle] or N-oxide forms, pharmaceutically acceptable salts, or stereoisomeric forms thereof were prepared as histone deacetylase (HDAC) inhibitors for the treatment of proliferative diseases. For example, compound II was prepared in a multi-step synthesis. In vitro assay for inhibition of HDAC was performed to measure the inhibition of HDAC enzymic activity, and colorimetric assay was performed to determine cellular activity on A2780 tumor cells. II showed HDAC inhibitory and anti-proliferative activities in the above two assays with pIC50 values of 7.0 and 5.3, resp. Formulations containing I as active ingredients were also reported.

IT 944738-91-4P 944738-94-7P 944738-97-0P
944739-00-8P 944739-08-6P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of pyrimidine derivs. as histone deacetylase inhibitors)

RN 944738-91-4 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[(3E)-2-(acetylamino)-4-phenyl-3-buten-1-yl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 944738-90-3

CMF C21 H26 N6 O3

Double bond geometry as shown.



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 944738-94-7 CAPLUS

10/513699


CN 5-Pyrimidinecarboxamide, 2-[4-[(3E)-2-amino-4-phenyl-3-buten-1-yl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 944738-93-6

CMF C19 H24 N6 O2

Double bond geometry as shown.



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 944738-97-0 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[(3E)-2-(2,5-dioxo-1-pyrrolidinyl)-4-phenyl-3-buten-1-yl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)


CM 1

CRN 944738-96-9

CMF C23 H26 N6 O4

Double bond geometry as shown.

10/513699



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 944739-00-8 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[(3E)-2-(4-fluorophenoxy)-4-phenyl-3-buten-1-yl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)


CM 1

CRN 944738-99-2

CMF C25 H26 F N5 O3

Double bond geometry as shown.

10/513699



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 944739-08-6 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[(3E)-2-(1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl)-4-phenyl-3-buten-1-yl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 944739-07-5
CMF C27 H26 N6 O4

Double bond geometry as shown.



CM 2


10/513699

CRN 76-05-1
CMF C2 H F3 O2




IT 944739-19-9P 944739-25-7P 944739-27-9P
944739-36-0P 944739-42-8P 944739-65-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)
(preparation of pyrimidine derivs. as histone deacetylase inhibitors)
RN 944739-19-9 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[(3E)-2-(acetylamino)-4-phenyl-3-buten-1-yl]-
1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (CA INDEX NAME)

Double bond geometry as shown.



RN 944739-25-7 CAPLUS
CN Carbamic acid, N-[(2E)-3-phenyl-1-[[4-[5-[[[(tetrahydro-2H-pyran-2-yl)oxy]amino]carbonyl]-2-pyrimidinyl]-1-piperazinyl]methyl]-2-propen-1-yl]-
, 9H-fluoren-9-ylmethyl ester (CA INDEX NAME)


Double bond geometry as shown.



RN 944739-27-9 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[(3E)-2-amino-4-phenyl-3-buten-1-yl]-1-
piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (CA INDEX NAME)

10/513699

Double bond geometry as shown.





RN 944739-36-0 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[(3E)-2-(2,5-dioxo-1-pyrrolidinyl)-4-phenyl-3-buten-1-yl]-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A






RN 944739-42-8 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[(3E)-2-(4-fluorophenoxy)-4-phenyl-3-buten-1-yl]-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (CA INDEX NAME)


Double bond geometry as shown.



RN 944739-65-5 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[(3E)-2-(1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl)-4-phenyl-3-buten-1-yl]-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (CA INDEX NAME)

Double bond geometry as shown.



REFERENCE COUNT:


4

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 2 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2007:816806 CAPLUS
 DOCUMENT NUMBER: 147:211902
 TITLE: Preparation of pyrimidine derivatives as histone
 deacetylase inhibitors
 INVENTOR(S): Angibaud, Patrick Rene; Van Brandt, Sven Franciscus
 Anna; Marconnet-Decrane, Laurence Francoise
 Bernadette; Roux, Bruno
 PATENT ASSIGNEE(S): Janssen Pharmaceutica N.V., Belg.
 SOURCE: PCT Int. Appl., 63pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007082880	A1	20070726	WO 2007-EP50379	20070116
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

PRIORITY APPLN. INFO.: EP 2006-100571 A 20060119
 OTHER SOURCE(S): MARPAT 147:211902
 GI



AB The title compds. with general formula I [wherein R1 = OH or substituted phenyl; R2 = -CH2OH, -CH2OCH3, -CH2OCH2CH3, or -CH2CH(OH)CH2OH; T = N(R3), where R3 = H, alkyl, cycloalkyl, etc.; X = N or CH; Y = O, NH, CH2, etc.; n = 0-1; p = 0-1, provided that when p = 0 then n = 0 and Y = N, and -CH(R2)-Z is attached to Y; Z = (un)substituted aryl or heteroaryl or N-oxide forms, pharmaceutically acceptable salts, or stereoisomeric forms thereof were prepared as histone deacetylase (HDAC) inhibitors for the treatment of proliferative diseases. For example, compound II was prepared in a multi-step synthesis. In vitro assay for inhibition of HDAC was performed to measure the inhibition of HDAC enzymic activity, and colorimetric assay was performed to determine cellular activity on A2780 tumor cells. II showed HDAC inhibitory and anti-proliferative activities in the above two assays with pIC50 values of 7.0 and 7.1, resp. Formulations containing I as active ingredients were also reported.

IT 944712-03-2P 944712-05-4P 944712-07-6P
944712-09-8P 944712-10-1P 944712-12-3P
944712-14-5P 944712-16-7P 944712-18-9P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of pyrimidine derivs. as histone deacetylase inhibitors)

RN 944712-03-2 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[2-hydroxy-1-(1-naphthalenyl)ethyl]-1-piperazinyl]-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 944712-02-1

CME C21 H23 N5 O3

10/513699



CM 2


CRN 76-05-1
CMF C2 H F3 O2



RN 944712-05-4 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-(1-benzo[b]thien-2-yl-2-hydroxyethyl)-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 944712-04-3
CMF C19 H21 N5 O3 S



CM 2

10/513699



CRN 76-05-1
CMF C2 H F3 O2



RN 944712-07-6 CAPLUS
CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[2-hydroxy-1-[1-(phenylsulfonyl)-1H-indol-3-yl]ethyl]-1-piperazinyl]-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 944712-06-5
CMF C25 H26 N6 O5 S



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 944712-09-8 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[1-[4-(1,1-dimethylethyl)phenyl]-2,3-

<12/04/2007>

Erich Leese

10/513699


dihydroxypropyl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)



RN 944712-10-1 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[1-[4-(1,1-dimethylethyl)phenyl]-2,3-dihydroxypropyl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:1)
(CA INDEX NAME)

CM 1

CRN 944712-09-8
CMF C22 H31 N5 O4



CM 2

CRN 76-05-1
CMF C2 H F3 O2



RN 944712-12-3 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[(1R,2S)-1-[4-(1,1-dimethylethyl)phenyl]-2,3-dihydroxypropyl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?)
(CA INDEX NAME)

CM 1


CRN 944712-11-2
CMF C22 H31 N5 O4

Absolute stereochemistry.

<12/04/2007>

Erich Leese

10/513699



CM 2

CRN 76-05-1

CMF C2 H F3 O2




RN 944712-14-5 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[2-hydroxy-1-(2-naphthalenyl)ethyl]-1-piperazinyl]-, 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)

CM 1

CRN 944712-13-4

CMF C21 H23 N5 O3



CM 2

CRN 76-05-1

CMF C2 H F3 O2


10/513699



RN 944712-16-7 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[1-(2-benzofuranyl)-2-hydroxyethyl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 944712-15-6
CMF C19 H21 N5 O4



CM 2

CRN 76-05-1
CMF C2 H F3 O2





RN 944712-18-9 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-(1-benzo[b]thien-3-yl-2-hydroxyethyl)-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 944712-17-8
CMF C19 H21 N5 O3 S

10/513699



CM 2

CRN 76-05-1

CMF C2 H F3 O2



IT 944712-19-0P 944712-20-3P 944712-23-6P


944712-27-0P 944712-30-5P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of pyrimidine derivs. as histone deacetylase inhibitors)


RN 944712-19-0 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[2-hydroxy-1-(1-naphthalenyl)ethyl]-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (CA INDEX NAME)





RN 944712-20-3 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-(1-benzo[b]thien-2-yl-2-hydroxyethyl)-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (CA INDEX NAME)




RN 944712-23-6 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[2-hydroxy-1-[1-(phenylsulfonyl)-1H-indol-3-yl]ethyl]-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (CA INDEX NAME)




RN 944712-27-0 CAPLUS
 CN 5-Pyrimidinecarboxamide, 2-[4-[1-[4-(1,1-dimethylethyl)phenyl]-2,3-dihydroxypropyl]-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (CA INDEX NAME)



RN 944712-30-5 CAPLUS
 CN 5-Pyrimidinecarboxamide, 2-[4-[(1R,2S)-1-[4-(1,1-dimethylethyl)phenyl]-2,3-dihydroxypropyl]-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (CA INDEX NAME)

Absolute stereochemistry.



10/513699

REFERENCE COUNT:

3

THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT



<12/04/2007>

Erich Leese

L8 ANSWER 3 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2006:101446 CAPLUS
 DOCUMENT NUMBER: 144:192266
 TITLE: Preparation of substituted propenyl piperazine derivatives as novel inhibitors of histone deacetylase
 INVENTOR(S): Van Brandt, Sven Franciscus Anna; Van Emelen, Kristof; Angibaud, Patrick Rene; Marconnet-Decrane, Laurence Francoise Bernadette; Arts, Janine
 PATENT ASSIGNEE(S): Janssen Pharmaceutica N.V., Belg.
 SOURCE: PCT Int. Appl., 67 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006010749	A2	20060202	WO 2005-EP53611	20050725
WO 2006010749	A3	20060608		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GO, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
AU 2005266311	A1	20060202	AU 2005-266311	20050725
CA 2572971	A1	20060202	CA 2005-2572971	20050725
EP 1776358	A2	20070425	EP 2005-777776	20050725
R:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL, BA, HR, MK, YU			
CN 1993356	A	20070704	CN 2005-80025487	20050725
KR 2007043978	A	20070426	KR 2007-701641	20070123
US 2007135424	A1	20070614	US 2007-626215	20070123
IN 2007DN00658	A	20070803	IN 2007-DN658	20070124
MX 200701119	A	20070315	MX 2007-1119	20070126
NO 2007001117	A	20070227	NO 2007-1117	20070227
PRIORITY APPLN. INFO.:			EP 2004-77171	A 20040728
			US 2004-592357P	P 20040729
			WO 2005-EP53611	W 20050725

OTHER SOURCE(S): CASREACT 144:192266; MARPAT 144:192266
 GI



AB Substituted propenyl piperazine derivs. I, wherein X is independently N or CH; R1 is Ph, naphthalenyl or heterocyclyl; wherein each of said Ph or naphthalenyl is optionally substituted with one or two substituents each independently selected from halo, alkyl, alkyloxy, poly-halo-alkyl, aryl, hydroxy, cyano, amino, alkylcarbonylamino, alkylsulfonylamino, hydroxycarbonyl, alkylloxycarbonyl, hydroxyalkyl, alkylloxymethyl, aminomethyl, alkylaminomethyl, alkylcarbonylaminomethyl, alkylsulfonylaminomethyl, aminosulfonyl, alkylaminosulfonyl or heterocyclyl; R2 is hydrogen, -CH2R5, trifluoromethyl, -C(O)-R6, or -CH-NR7/R8; wherein each R5 is independently hydrogen, hydroxy, alkyloxy, alkyloxyalkyloxy, alkylcarbonyloxy, piperazinyl, N-methylpiperazinyl, morpholinyl, thiomorpholinyl, imidazolyl or triazolyl; each R6 is independently hydroxy, alkyloxy, amino or mono- or di(alkyl)amino, cycloalkylamino, hydroxyalkylamino, piperazinyl, N-methylpiperazinyl, morpholinyl or thiomorpholinyl; each R7 and R8 are independently hydrogen, alkyl, alkylcarbonyl, alkylsulfonyl, or mono- or di(alkyl)aminosulfonyl; R3 is hydrogen, hydroxymethyl, aminomethyl or mono- or di(alkyl)aminomethyl; R4 is hydrogen or alkyl; were prepared and having histone deacetylase inhibiting enzymic activity and to inhibit proliferative conditions, such as cancer and psoriasis. Thus, propenyl piperazine derivative II was prepared and tested in vitro and in nude mice as inhibitor of histone deacetylase and was better than R306465 after oral administration. P21 enzyme linked immunosorbent assay has been applied to determine the p21 protein expression level in human A2780 ovarian carcinoma cells. In vitro assay for inhibition of histone deacetylase is reported. P21 induction was measured as the consequence of DNA damage or as the consequence of histone deacetylase inhibition. Antiproliferative activity of title compds. was determined on A2780 cells (neg. log value of the IC50, pIC50 = 7.9-8.2).

IT 875138-85-5P 875138-87-7P 875138-88-8P
 875138-89-9P 875138-90-2P 875138-91-3P
 875138-93-5P 875138-94-6P 875138-98-0P
 875139-00-7P 875139-02-9P 875139-04-1P
 875139-06-3P 875139-07-4P 875139-09-6P
 875139-11-0P 875139-13-2P 875139-14-3P
 875139-15-4P 875139-17-6P 875139-19-8P
 875139-20-1P 875139-21-2P 875139-23-4P
 875139-24-5P 875139-25-6P 875139-26-7P
 875139-27-8P 875139-28-9P 875139-29-0P
 875139-30-3P 875139-31-4P 875139-69-8P

10/513699


875139-70-1P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
(Uses)

(preparation of substituted propenyl piperazine derivs. as novel inhibitors
of histone deacetylase)

RN 875138-85-5 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-(hydroxymethyl)-3-phenyl-2-
propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)




RN 875138-87-7 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3-(4-chlorophenyl)-1-(4-morpholinylmethyl)-
2-propenyl]-1-piperazinyl]-N-hydroxy-, mono(trifluoroacetate) (salt) (9CI)
(CA INDEX NAME)

CM 1

CRN 875138-86-6

CMF C23 H29 Cl N6 O3



CM 2

CRN 76-05-1

CMF C2 H F3 O2



<12/04/2007>


Erich Leese

10/513699

RN 875138-88-8 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[(2E)-1-methyl-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



RN 875138-89-9 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[(2E)-1-methyl-3-phenyl-2-propenyl]-1-piperazinyl]-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875138-88-8

CMF C19 H23 N5 O2

Double bond geometry as shown.



CM 2

CRN 76-05-1


CMF C2 H F3 O2

10/513699




RN 875138-90-2 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3-(4-fluorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)



RN 875138-91-3 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[1-[(acetyloxy)methyl]-3-phenyl-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)




RN 875138-93-5 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[1-[(dimethylamino)carbonyl]-3-(4-fluorophenyl)-1-methyl-2-propenyl]-1-piperazinyl]-N-hydroxy-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875138-92-4

CMF C22 H27 F N6 O3




CM 2

10/513699

CRN 76-05-1
CMF C2 H F3 O2



RN 875138-94-6 CAPLUS
CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-(methoxymethyl)-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)




RN 875138-98-0 CAPLUS
CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[(2E)-1-(hydroxymethyl)-3-(4-methoxyphenyl)-2-propenyl]-1-piperazinyl]-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875138-97-9
CMF C20 H25 N5 O4

Double bond geometry as shown.



CM 2

CRN 76-05-1

10/513699

CMF C2 H F3 O2



RN 875139-00-7 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[(2E)-3-(4-chlorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy-, mono(trifluoroacetate) (salt) (9CI)
(CA INDEX NAME)

CM 1

CRN 875138-99-1

CMF C19 H22 Cl N5 O3

Double bond geometry as shown.



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 875139-02-9 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3-[1,1'-biphenyl]-4-yl]-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy-, mono(trifluoroacetate) (salt) (9CI)
(CA INDEX NAME)

CM 1

<12/04/2007>

Erich Leese

10/513699




RN 875139-06-3 CAPLUS
CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[(2E)-1-(hydroxymethyl)-3-(4-methylphenyl)-2-propenyl]-1-piperazinyl]-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875139-05-2
CMF C20 H25 N5 O3

Double bond geometry as shown.




CM 2

CRN 76-05-1
CMF C2 H F3 O2



RN 875139-07-4 CAPLUS
CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-methyl-1-(4-morpholinylcarbonyl)-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)

10/513699




RN 875139-09-6 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[1-[(ethylmethylamino)carbonyl]-3-(4-fluorophenyl)-1-methyl-2-propenyl]-1-piperazinyl]-N-hydroxy-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875139-08-5

CMF C23 H29 F N6 O3



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 875139-11-0 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[1-[(cyclopropylamino)carbonyl]-3-phenyl-2-propenyl]-1-piperazinyl]-N-hydroxy-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875139-10-9

CMF C22 H26 N6 O3

10/513699



CM 2

CRN 76-05-1

CMF C2 H F3 O2




RN 875139-13-2 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-[(methylamino)carbonyl]-3-phenyl-2-propenyl]-1-piperazinyl]-, mono(trifluoroacetate) (salt) (9CI)
(CA INDEX NAME)

CM 1

CRN 875139-12-1

CMF C20 H24 N6 O3



CM 2

CRN 76-05-1


CMF C2 H F3 O2

10/513699




RN 875139-14-3 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-(4-morpholinylcarbonyl)-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)



RN 875139-15-4 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[1-[[[2-(dimethylamino)ethylamino]carbonyl]-3-phenyl-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)



RN 875139-17-6 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-[[[2-(hydroxyethyl)amino]carbonyl]-3-phenyl-2-propenyl]-1-piperazinyl]-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875139-16-5

CMF C21 H26 N6 O4

10/513699



CM 2

CRN 76-05-1

CMF C2 H F3 O2




RN 875139-19-8 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[1-[(butylmethylamino)carbonyl]-3-(4-fluorophenyl)-1-methyl-2-propenyl]-1-piperazinyl]-N-hydroxy-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875139-18-7

CMF C25 H33 F N6 O3



CM 2

CRN 76-05-1


CMF C2 H F3 O2

10/513699



RN 875139-20-1 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-(4-morpholinylmethyl)-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)



RN 875139-21-2 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[(2E)-1-[(4-methyl-1-piperazinyl)methyl]-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



RN 875139-23-4 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-(1H-imidazol-1-ylmethyl)-3-phenyl-2-propenyl]-1-piperazinyl]-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875139-22-3

CME C22 H25 N7 O2

10/513699



CM 2


CRN 76-05-1

CMF C2 H F3 O2



RN 875139-24-5 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[1-(ethoxymethyl)-3-phenyl-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)



RN 875139-25-6 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[(1S)-1-(hydroxymethyl)-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

<12/04/2007>

Erich Leese

10/513699

Double bond geometry unknown.




RN 875139-26-7 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[(1R)-1-(hydroxymethyl)-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry unknown.




RN 875139-27-8 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[(1S)-3-(4-fluorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

Double bond geometry unknown.




RN 875139-28-9 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3-(3-fluorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)




RN 875139-29-0 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3-(2-fluorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)



RN 875139-30-3 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3-(4-fluorophenyl)-1-(methoxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)




RN 875139-31-4 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[(1S)-3-(4-fluorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)

10/513699

propenyl]-1-piperazinyl]-N-hydroxy-, monohydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry unknown.



● HCl


RN 875139-69-8 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[(1R)-3-(4-fluorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.




RN 875139-70-1 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[(1R)-3-(4-fluorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy-, monohydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.




● HCl

IT 875138-54-8P 875138-59-3P 875138-62-8P
 875138-66-2P 875138-70-8P 875138-73-1P
 875138-77-5P 875138-78-6P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation of substituted propenyl piperazine derivs. as novel inhibitors
 of histone deacetylase)
 RN 875138-54-8 CAPLUS
 CN 5-Pyrimidinecarboxamide, 2-[4-[1-(hydroxymethyl)-3-phenyl-2-propenyl]-1-
 piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (9CI) (CA INDEX NAME)




RN 875138-59-3 CAPLUS
 CN 5-Pyrimidinecarboxamide, 2-[4-[3-(4-chlorophenyl)-1-(4-morpholinylmethyl)-
 2-propenyl]-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (9CI) (CA
 INDEX NAME)



RN 875138-62-8 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-(1-methyl-3-phenyl-2-propenyl)-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (9CI) (CA INDEX NAME)



RN 875138-66-2 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[(2E)-3-(4-fluorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (9CI) (CA INDEX NAME)

Double bond geometry as shown.




RN 875138-70-8 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[1-[(dimethylamino)carbonyl]-3-(4-fluorophenyl)-1-methyl-2-propenyl]-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (9CI) (CA INDEX NAME)




RN 875138-73-1 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[1-(methoxymethyl)-3-phenyl-2-propenyl]-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (9CI) (CA INDEX NAME)



RN 875138-77-5 CAPLUS

CN 5-Pyrimidinecarboxamide, N-acetyl-2-[4-[1-[(acetyloxy)methyl]-3-phenyl-2-propenyl]-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (9CI) (CA INDEX NAME)



RN 875138-78-6 CAPLUS


CN 5-Pyrimidinecarboxamide, N-acetyl-2-[4-[1-[(acetyloxy)methyl]-3-phenyl-2-propenyl]-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]-, ethanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 875138-77-5

CMF C28 H35 N5 O6

10/513699



CM 2

CRN 144-62-7

CMF C2 H2 O4



L8 ANSWER 4 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2005:300395 CAPLUS

DOCUMENT NUMBER: 142:355054

TITLE: Preparation of amide derivatives as inhibitors of histone deacetylase

INVENTOR(S): Moradei, Oscar; Paquin, Isabelle; Leit, Silvana; Frechette, Sylvie; Valsburg, Arkadii; Besterman, Jeffrey M.; Tessier, Pierre; Mallais, Tammy C.

PATENT ASSIGNEE(S): Methylgene, Inc., Can.
SOURCE: PCT Int. Appl., 559 pp.

CODEN: PIXXD2



DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005030705	A1	20050407	WO 2004-US31591	20040924
WO 2005030705	A9	20060420		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2004276337	A1	20050407	AU 2004-276337	20040924
CA 2539117	A1	20050407	CA 2004-2539117	20040924
EP 1663993	A1	20060607	EP 2004-789074	20040924
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR			
CN 1882529	A	20061220	CN 2004-80034571	20040924
JP 2007506785	T	20070322	JP 2006-528279	20040924
PRIORITY APPLN. INFO.:			US 2003-505884P	P 20030924
			US 2003-532973P	P 20031229
			US 2004-561082P	P 20040409
			WO 2004-US31591	W 20040924
OTHER SOURCE(S):		CASREACT 142:355054; MARPAT 142:355054		
GI				



AB Title compds. I [Arl = (un)saturated-, (un)substituted-mono or fused poly-cyclic hydrocarbyl optionally containing 1-4 heteroatoms per ring; R1 = (un)substituted-mono-, -bi-, -tri-cyclic-aryl or -heteroaryl; R2, R3, and R4 independently = H, halo, amino, etc.; R5 and R6 independently = H, alkyl, aryl, etc.; x = 0-1; Y = any pharmaceutically acceptable chemical moiety consisting of 1 to 50 atoms with provisions] and their pharmaceutically acceptable salts, are prepared and disclosed as inhibitors of histone deacetylase. Thus, e.g., II was prepared by Suzuki coupling of 2-bromo-2-nitro-phenylamine (preparation given) with 2-thiopheneboronic acid followed by carbonylation with 4-[3,4-dimethoxy-(phenylamino)-methyl]benzoic acid (preparation given) and subsequent reduction. The inhibitory

capability of I towards antiproliferative activity of histone deacetylase enzyme was evaluated using 3-[4,5-dimethylthiazol-2-yl]-2,5-diphenyltetrazolium] bromide (MTT) assay and it revealed that certain compds. of the invention had MTT IC 50 values in the range of below 1 up to 20 μ M. I as histone deacetylase inhibitors should prove useful in the treatment of diseases such as, but not limited to, cell proliferative disease, protozoal disease, and fungal disease.

IT 603985-86-0P 603985-88-2P 603985-90-6P
603985-94-0P 603991-95-3P 603991-96-4P
603992-24-1P 603992-25-2P 603992-26-3P
603992-27-4P 603992-28-5P 604784-81-8P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of amide derivs. as inhibitors of histone deacetylase)

RN 603985-86-0 CAPLUS


10/513699

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[[5-[4-(hydroxymethyl)phenyl]-2-furanyl]methyl]-1-piperazinyl]- (CA INDEX NAME)




RN 603985-88-2 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-naphthalenylmethyl)-1-piperazinyl]- (CA INDEX NAME)




RN 603985-90-6 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[2-(2-naphthalenyl)ethyl]-1-piperazinyl]- (CA INDEX NAME)



RN 603985-94-0 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[[5-[4-(4-morpholinylmethyl)phenyl]-2-furanyl]methyl]-1-piperazinyl]- (CA INDEX NAME)



RN 603991-95-3 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-(diphenylacetyl)-1-piperazinyl]-N-hydroxy-(9CI) (CA INDEX NAME)

10/513699




RN 603991-96-4 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-naphthalenylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)



RN 603992-24-1 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-thienylacetyl)-1-piperazinyl]- (9CI) (CA INDEX NAME)



RN 603992-25-2 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(1-naphthalenylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)

10/513699




RN 603992-26-3 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(3-pyridinylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)



RN 603992-27-4 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[(3,4-dimethoxyphenyl)acetyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)



RN 603992-28-5 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-pyridinylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)

10/513699



RN 604784-81-8 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[3-[[[(2-naphthalenylsulfonyl)amino]methyl]-4-(phenylmethyl)-1-piperazinyl]- (CA INDEX NAME)



REFERENCE COUNT:



6

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

10/513699

L8 ANSWER 5 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2005:300394 CAPLUS
DOCUMENT NUMBER: 142:373563
TITLE: Preparation of amide derivatives as inhibitors of
histone deacetylase
INVENTOR(S): Moradei, Oscar; Paquin, Isabelle; Leit, Silvana;
Frechette, Sylvie; Valsburg, Arkadii; Besterman,
Jeffrey M.; Tessier, Pierre; Mallais, Tammy C.
PATENT ASSIGNEE(S): Methygene, Inc., Can.
SOURCE: PCT Int. Appl., 389 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	---	-----	-----	-----
WO 2005030704	A1	20050407	WO 2004-US31590	20040924
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,				
CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,				
GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,				
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,				
NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,				
TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,				
AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,				
EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,				
SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,				
SN, TD, TG				
PRIORITY APPLN. INFO.:			US 2003-505884P	P 20030924
			US 2003-532973P	P 20031229
			US 2004-561082P	P 20040409
OTHER SOURCE(S):		MARPAT 142:373563		
GI				



AB Title compds. I [Arl = (un)saturated-, (un)substituted-mono or fused poly-cyclic hydrocarbyl optionally containing 1-4 heteroatoms per ring; R1 = (un)substituted-mono-, -bi-, -tri-cyclic-aryl or -heteroaryl; R2, R3, and R4 independently = H, halo, amino, etc.; R5 and R6 independently = H, alkyl, aryl, etc.; x = 0-1; Y = any pharmaceutically acceptable chemical moiety consisting of 1 to 50 atoms with provisions] and their pharmaceutically acceptable salts, are prepared and disclosed as inhibitors of histone deacetylase. Thus, e.g., II was prepared by Suzuki coupling of 2-bromo-2-nitro-phenylamine (preparation given) with 2-thiopheneboronic acid followed by carbonylation with 4-[3,4-dimethoxy-(phenylamino)-methyl]benzoic acid (preparation given) and subsequent reduction. The inhibitory

capability of I towards antiproliferative activity of histone deacetylase enzyme was evaluated using 3-[4,5-dimethylthiazol-2-yl]-2,5-diphenyltetrazolium] bromide (MTT) assay and it revealed that certain compds. of the invention had MTT IC 50 values in the range of below 1 up to 20 μ M. I as histone deacetylase inhibitors should prove useful in the treatment of diseases such as, but not limited to, cell proliferative disease, protozoal disease, and fungal disease.

IT 603985-86-0P 603985-88-2P 603985-90-6P
603985-94-0P 603991-95-3P 603991-96-4P
603992-24-1P 603992-25-2P 603992-26-3P
603992-27-4P 603992-28-5P 604784-81-8P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of amide derivs. as inhibitors of histone deacetylase)

RN 603985-86-0 CAPLUS


10/513699

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[[5-[4-(hydroxymethyl)phenyl]-2-furanyl]methyl]-1-piperazinyl]- (CA INDEX NAME)




RN 603985-88-2 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-naphthalenylmethyl)-1-piperazinyl]- (CA INDEX NAME)




RN 603985-90-6 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[2-(2-naphthalenyl)ethyl]-1-piperazinyl]- (CA INDEX NAME)



RN 603985-94-0 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[[5-[4-(4-morpholinylmethyl)phenyl]-2-furanyl]methyl]-1-piperazinyl]- (CA INDEX NAME)



RN 603991-95-3 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-(diphenylacetyl)-1-piperazinyl]-N-hydroxy-(9CI) (CA INDEX NAME)

10/513699




RN 603991-96-4 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-naphthalenylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)



RN 603992-24-1 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-thienylacetyl)-1-piperazinyl]- (9CI) (CA INDEX NAME)



RN 603992-25-2 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(1-naphthalenylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)

10/513699




RN 603992-26-3 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(3-pyridinylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)



RN 603992-27-4 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[(3,4-dimethoxyphenyl)acetyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)



RN 603992-28-5 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-pyridinylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)

10/513699



RN 604784-81-8 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[3-[[2-(naphthalenylsulfonyl)amino]methyl]-4-(phenylmethyl)-1-piperazinyl]- (CA INDEX NAME)



REFERENCE COUNT:

6

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 6 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2003:737757 CAPLUS

DOCUMENT NUMBER: 139:276911

TITLE: Preparation of N-(piperazinylmethyl-,
piperidinylmethyl- and morpholinylmethyl) sulfonamides
and amides as novel inhibitors of histone deacetylase
INVENTOR(S): Van Emelen, Kristof
PATENT ASSIGNEE(S): Janssen Pharmaceutica N.V., Belg.
SOURCE: PCT Int. Appl., 69 pp.
CODEN: PIXXD2



DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 8

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003076438	A1	20030918	WO 2003-EP2510	20030311
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2475766	A1	20030918	CA 2003-2475766	20030311
AU 2003218735	A1	20030922	AU 2003-218735	20030311
EP 1485378	A1	20041215	EP 2003-711979	20030311
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2003007606	A	20041221	BR 2003-7606	20030311
CN 1642948	A	20050720	CN 2003-805921	20030311
JP 2005526766	T	20050908	JP 2003-574655	20030311
NZ 534833	A	20060728	NZ 2003-534833	20030311
CN 101007803	A	20070801	CN 2007-10005212	20030311
IN 2004DN02536	A	20070413	IN 2004-DN2536	20040831
US 2005165016	A1	20050728	US 2004-507084	20040908
MX 2004PA08795	A	20041126	MX 2004-PA8795	20040910
NO 2004004135	A	20040929	NO 2004-4135	20040929
PRIORITY APPLN. INFO.:			US 2002-363799P	P 20020313
			WO 2002-EP14833	A 20021223
			CN 2003-805921	A3 20030311
			WO 2003-EP2510	W 20030311
OTHER SOURCE(S):	MARPAT 139:276911			
GI				



AB The title compds. [I; t = 0-4; Q, X, Y = N, C; Z = NH, O, CH₂; R₁ = CONR₃R₄, NHCOR₇, CO(alkanediyl)SR₇, etc. (wherein R₃, R₄ = H, OH, alkyl, etc.; R₇ = H, alkyl, alkylcarbonyl, etc.); R₂ = H, OH, NH₂, etc.; L = NR₉CO, NR₉SO₂, NR₉CH₂ (R₉ = H, alkyl, cycloalkyl, etc.); A = (un)substituted Ph, cycloalkyl, pyridyl, etc.], having histone deacetylase inhibiting enzymic activity, were prepared and formulated. E.g., a multi-step synthesis of (+)-II which showed pIC₅₀ of 7.723 against HDAC, was given.


IT 604784-81-8P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of N-(piperazinylmethyl-, piperidinylmethyl- and morpholinylmethyl) sulfonamides and amides as novel inhibitors of histone deacetylase)

RN 604784-81-8 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[3-[(2-naphthalenylsulfonyl)amino]methyl]-4-(phenylmethyl)-1-piperazinyl]- (CA INDEX NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 7 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2003:737723 CAPLUS

DOCUMENT NUMBER: 139:261309

TITLE: Preparation of N-hydroxy-5-piperazino(piperidino or diazepino)-2-pyrimidinecarboxamides and N-hydroxy-4-piperazino(piperidino or diazepino)benzamides as new inhibitors of histone deacetylase

INVENTOR(S): Angibaud, Patrick Rene; Pilatte, Isabelle Noelle
 Constance; Van Brandt, Sven Franciscus Anna; Roux, Bruno; Ten Holte, Peter; Verdonck, Marc Gustaaf
 Celine; Meerpoel, Lieven; Dyatkin, Alexey Borisovich
 PATENT ASSIGNEE(S): Janssen Pharmaceutica N.V., Belg.

SOURCE: PCT Int. Appl., 72 pp.
 CODEN: PIXXD2

DOCUMENT TYPE: Patent
 LANGUAGE: English



FAMILY ACC. NUM. COUNT: 8

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003076400	A1	20030918	WO 2003-EP2514	20030311
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2475764	A1	20030918	CA 2003-2475764	20030311
AU 2003218736	A1	20030922	AU 2003-218736	20030311
EP 1485353	A1	20041215	EP 2003-711980	20030311
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2003008081	A	20041221	BR 2003-8081	20030311
CN 1639125	A	20050713	CN 2003-805675	20030311
CN 1642551	A	20050720	CN 2003-805833	20030311
NZ 534834	A	20050729	NZ 2003-534834	20030311
JP 2005526067	T	20050902	JP 2003-574621	20030311
CN 101007803	A	20070801	CN 2007-10005212	20030311
IN 2004DN02533	A	20070413	IN 2004-DN2533	20040831
US 2005107384	A1	20050519	US 2004-506998	20040908
ZA 2004007237	A	20050928	ZA 2004-7237	20040909
ZA 2004007235	A	20051004	ZA 2004-7235	20040909
ZA 2004007232	A	20051006	ZA 2004-7232	20040909
ZA 2004007233	A	20051006	ZA 2004-7233	20040909
ZA 2004007234	A	20051006	ZA 2004-7234	20040909
ZA 2004007236	A	20051006	ZA 2004-7236	20040909
MX 2004PA08806	A	20041126	MX 2004-PA8806	20040910
NO 2004004194	A	20041001	NO 2004-4194	20041001
PRIORITY APPLN. INFO.:			US 2002-363799P	P 20020313
			WO 2002-EP14833	A 20021223
			CN 2003-805921	A3 20030311

OTHER SOURCE(S):
GI

MARPAT 139:261309



AB The title compds. [I; n = 0-3; t = 0-4; Q, X, Y = N, C; Z = N, CH; R1 = CONR7R8, NHCOR9, CO(alkanediyl)SR9, etc. (wherein R7, R8 = H, OH, alkyl, etc.; R9 = H, alkyl, alkylcarbonyl, etc.); R2 = H, halo, OH, etc.; L = a bond, alkanediyl, alkanediyloxy, NH, CO, NHCO; each R3 = H and one H atom can be replaced by aryl; R4 = H, OH, NH2, etc.; A = (un)substituted Ph, cyclohexyl, pyridyl, etc.], having histone deacetylase inhibiting enzymic activity, were prepared and formulated. E.g., a multi-step synthesis of II which showed pIC50 of 5.121 against HDAC, was given.

IT 603985-87-1P 603985-89-3P 603985-91-7P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of piperazino(piperidino or diazepino) substituted 2-pyrimidinecarboxylic acids and N-hydroxybenzamides as new inhibitors of histone deacetylase)

RN 603985-87-1 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[[[5-[4-(hydroxymethyl)phenyl]-2-furyl]methyl]-1-piperazinyl]-, trifluoroacetate (5:4) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 603985-86-0

CMF C21 H23 N5 O4

10/513699



CM 2

CRN 76-05-1

CMF C2 H F3 O2




RN 603985-89-3 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-naphthalenylmethyl)-1-piperazinyl]-, trifluoroacetate (5:4) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 603985-88-2

CMF C20 H21 N5 O2



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 603985-91-7 CAPLUS

<12/04/2007>

Erich Leese


10/513699

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[2-(2-naphthalenyl)ethyl]-1-piperazinyl]-, trifluoroacetate (5:4) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 603985-90-6

CMF C21 H23 N5 O2



CM 2

CRN 76-05-1

CMF C2 H F3 O2




RN 603985-95-1 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[[5-[4-(4-morpholinylmethyl)phenyl]-2-furanyl]methyl]-1-piperazinyl]-, bis(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 603985-94-0

CMF C25 H30 N6 O4



CM 2

CRN 76-05-1

CMF C2 H F3 O2

10/513699




IT 603986-73-8P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of piperazino(piperidino or diazepino) substituted 2-pyrimidinecarboxylic acids and N-hydroxybenzamides as new inhibitors of histone deacetylase)

RN 603986-73-8 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-(phenylmethyl)-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (CA INDEX NAME)



REFERENCE COUNT:

3

THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 8 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2003/737586 CAPLUS

DOCUMENT NUMBER: 139:261308

TITLE: Preparation of aryl and heteroaryl hydroxamic acids as inhibitors of histone deacetylase for treating proliferative diseases

INVENTOR(S): Van Emelen, Kristof; Verdonck, Marc Gustaaf Celine; Van Brandt, Sven Franciscus Anna; Angibaud, Patrick Rene; Meerpoel, Lieven; Dyatkin, Alexey Borisovich Janssen Pharmaceutica N.V., Belg.

PATENT ASSIGNEE(S):

SOURCE: PCT Int. Appl., 52 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English



FAMILY ACC. NUM. COUNT: 8

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003075929	A1	20030918	WO 2003-EP2515	20030311
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2476065	A1	20030918	CA 2003-2476065	20030311
AU 2003218737	A1	20030922	AU 2003-218737	20030311
EP 1485099	A1	20041215	EP 2003-711981	20030311
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2003007624	A	20050111	BR 2003-7624	20030311
CN 1639125	A	20050713	CN 2003-805675	20030311
CN 1642551	A	20050720	CN 2003-805833	20030311
JP 2005525379	T	20050825	JP 2003-574203	20030311
NZ 534832	A	20050930	NZ 2003-534832	20030311
CN 101007803	A	20070801	CN 2007-10005212	20030311
IN 2004DN02537	A	20070112	IN 2004-DN2537	20040831
ZA 2004007237	A	20050928	ZA 2004-7237	20040909
ZA 2004007235	A	20051004	ZA 2004-7235	20040909
ZA 2004007232	A	20051006	ZA 2004-7232	20040909
ZA 2004007233	A	20051006	ZA 2004-7233	20040909
ZA 2004007234	A	20051006	ZA 2004-7234	20040909
ZA 2004007236	A	20051006	ZA 2004-7236	20040909
MX 2004PA08797	A	20041126	MX 2004-PA8797	20040910
US 2005096468	A1	20050505	US 2004-507785	20040913
NO 2004004113	A	20040928	NO 2004-4113	20040928
PRIORITY APPLN. INFO.:			US 2002-363799P	P 20020313
			WO 2002-EP14833	A 20021223
			CN 2003-805921	A3 20030311
			WO 2003-EP2515	W 20030311

OTHER SOURCE(S): MARPAT 139:261308

GI



AB This invention comprises aryl and heteroaryl hydroxamic acids (shown as I; variables defined below; e.g. II) having histone deacetylase inhibiting enzymic activity; their preparation, compns. containing them and their use as a medicine. Compds. I show excellent in-vitro histone deacetylase inhibiting enzymic activity, have advantageous properties with regard to cellular activity and specific properties with regard to inhibition of cell cycle progression at both G1 and G2 checkpoints (p21 induction capacity), and show good metabolic stability and high bioavailability and more particular show oral bioavailability. They can also be used for detection and identification of histone deacetylase. General synthetic procedures and characterization data for twenty-seven I are included; also, preps. of 12 intermediates are included. For example, a 59 % yield of 2-[4-(dimethylaminosulfonyl)piperazin-1-yl]pyrimidine-5-carboxylic acid was obtained by removing the O-tetrahydropyran-1-yl group of its ester using trifluoroacetic acid; the ester was prepared in 61 % yield from N'-(ethylcarbonimidoyl)-N,N-dimethyl-1,3-propanediamine monohydrochloride, sodium 2-[4-(dimethylaminosulfonyl)piperazin-1-yl]pyrimidine-5-carboxylate, O-(tetrahydro-2H-pyran-2-yl)hydroxylamine, and 1-hydroxy-1H-benzotriazole in CH₂Cl₂/THF. The sodium salt was obtained by base hydrolysis of the Et ester; the ester was prepared in 73 % yield from Et 2-(piperazin-1-yl)pyrimidine-5-carboxylate and dimethylsulfamoyl chloride; Et 2-(piperazin-1-yl)pyrimidine-5-carboxylate was obtained in <96 % yield from Et 2-(4-benzylpiperazin-1-yl)pyrimidine-5-carboxylate by hydrogenation using Pd/C; the benzyl derivative was obtained from 1-(phenylmethyl)piperazine, (135 mL) was added gradually to a solution of potassium carbonate (0.18 mol) and 2-(methylsulfonyl)-5-pyrimidinecarboxylic acid Et ester, K₂CO₃ in MeCN. For I: n is 0-3; Q, X and Y are N or C; Z is N or CH; R₁ is -C(O)NR₅R₆, -N(H)C(O)R₇, -C(O)-C1-6alkanediylSR₇, -NR₈C(O)N(OH)R₇, -NR₈C(O)C1-6alkanediylSR₇, -NR₈C(O)C:N(OH)R₇ or another Zn-chelating-group; R₂ is H, halo, hydroxy, amino, nitro, C1-6alkyl, C1-6alkyloxy, trifluoromethyl, di(C1-6-alkyl)amino, hydroxyamino or naphthalenylsulfonylpyrazinyl. R₃ is H, C1-6-alkyl, arylC2-6alkenediyl, furanylcarbonyl, naphthalenylcarbonyl, -C(O)phenylR₉, C1-6alkylaminocarbonyl, aminosulfonyl, arylaminosulfonyl, aminosulfonylamino, di(C1-6-alkyl)aminosulfonylamino, arylaminosulfonylamino, aminosulfonylaminoC1-6-alkyl, di(C1-6-alkyl)aminosulfonylaminoC1-6-alkyl, arylaminosulfonylaminoC1-6alkyl, di(C1-6-alkyl)aminoC1-6alkyl, C11-12-alkylsulfonyl, di(C1-6-alkyl)aminosulfonyl, trihaloC1-6-alkylsulfonyl, di(aryl)C1-6alkylcarbonyl, thiophenylC1-6alkylcarbonyl, pyridinylcarbonyl or arylC1-6alkylcarbonyl. R₄ is H, hydroxy, amino, hydroxyC1-6alkyl, C1-6alkyl, C1-6alkyloxy, arylC1-6alkyl, aminocarbonyl, hydroxycarbonyl, aminoC1-6-alkyl,

aminocarbonylC1-6-alkyl, hydroxycarbonylC1-6-alkyl, hydroxyaminocarbonyl, C1-6-alkyloxycarbonyl, C1-6-alkylaminoC1-6-alkyl or di(C1-6-alkyl)aminoC1-6-alkyl; when R3 and R4 are present on the same C atom, R3 and R4 together may form -C(O)-NH-CH2-NR10- wherein R10 is H or aryl; when R3 and R4 are present on adjacent C atoms, R3 and R4 together may form -CH-CH:CH-CH: ; addnl. details are given in the claims.


IT 603991-96-4P

RL: ARG (Analytical reagent use); PAC (Pharmacological activity); PKT (Pharmacokinetics); SPN (Synthetic preparation); THU (Therapeutic use); ANST (Analytical study); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate and reagent for detection/identification of histone deacetylase; preparation of aryl and heteroaryl hydroxamic acids as inhibitors of histone deacetylase for treating proliferative diseases)

RN 603991-96-4 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-naphthalenylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)



IT 603991-95-3P 603992-24-1P 603992-25-2P


603992-26-3P 603992-27-4P 603992-28-5P

RL: ARG (Analytical reagent use); PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); ANST (Analytical study); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate and reagent for detection/identification of histone deacetylase; preparation of aryl and heteroaryl hydroxamic acids as inhibitors of histone deacetylase for treating proliferative diseases)

RN 603991-95-3 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-(diphenylacetyl)-1-piperazinyl]-N-hydroxy-(9CI) (CA INDEX NAME)



RN 603992-24-1 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-thienylacetyl)-1-piperazinyl]- (9CI) (CA INDEX NAME)

10/513699




RN 603992-25-2 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(1-naphthalenylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)



RN 603992-26-3 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(3-pyridinylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)



RN 603992-27-4 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[(3,4-dimethoxyphenyl)acetyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)

10/513699



RN 603992-28-5 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-pyridinylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)




IT 603992-32-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of aryl and heteroaryl hydroxamic acids as inhibitors of histone deacetylase for treating proliferative diseases)

RN 603992-32-1 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-(diphenylacetyl)-1-piperazinyl]-N-[(tetrahydro-2H-pyran-2-yl)oxy]- (9CI) (CA INDEX NAME)



REFERENCE COUNT:



6

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 9 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 1986:442843 CAPLUS
 DOCUMENT NUMBER: 105:42843
 ORIGINAL REFERENCE NO.: 105:7101a,7104a
 TITLE: Pyrimidinylpiperazines
 INVENTOR(S): Kihara, Noriaki; Ishida, Tatsukazu; Isayama, Shigeru;
 Ishitoku, Takeshi; Tan, Hiroaki; Takahashi, Katsuya
 PATENT ASSIGNEE(S): Mitsui Petrochemical Industries, Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 28 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 61043173	A	19860301	JP 1984-163771	19840806
JP 05022702	B	19930330		

PRIORITY APPLN. INFO.: JP 1984-163771 19840806
 GI




AB The title compds. [I, R1 = H, substituted Me, alkoxy carbonyl; R2, R3 = H, substituted alkyl; X = alkoxy, OH, (substituted) NH2; n = 2, 3], useful as herbicides against common weeds (no data), were prepared. Thus, the piperazinecarboxamide derivative II sulfate reacted with MeOCH₂C(COMe)CO₂Me in MeOH/aqueous NaOH at room temperature overnight to give 88% I (R1 = PhCH₂, n = 2,

R2 = H, R3 = Me, X = OMe).

IT 102976-25-0P 102976-32-9P
 RL: AGR (Agricultural use); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses) (preparation of, as herbicide)

RN 102976-25-0 CAPLUS


CN 5-Pyrimidinecarboxamide, 4-methyl-N-(phenylmethoxy)-2-[4-(phenylmethyl)-1-piperazinyl]- (CA INDEX NAME)



10/513699

RN 102976-32-9 CAPLUS

CN 5-Pyrimidinecarboxamide, N-methoxy-4-methyl-2-[4-(phenylmethyl)-1-piperazinyl]- (CA INDEX NAME)



10/513699

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

53.85

433.10

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-7.20

-8.80

FILE 'REGISTRY' ENTERED AT 15:54:14 ON 03 MAR 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 2 MAR 2008 HIGHEST RN 1006303-40-7

DICTIONARY FILE UPDATES: 2 MAR 2008 HIGHEST RN 1006303-40-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10506998election.str



```

chain nodes :
19 32 34 45 46 47 56 57 58 60 61
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 20 21 22 23 24 25 26 27 28 29 30
31 39 40 41 42 43 44 49 50 52 53 54 55
chain bonds :
5-19 8-34 11-60 24-32 43-45 45-46 46-47 54-56 56-57 56-58 60-61
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 20-21 20-25
21-22 22-23 23-24 24-25 26-27 26-31 27-28 28-29 29-30 30-31 39-40 39-44
40-41 41-42 42-43 43-44 49-50 49-55 50-52 52-53 53-54 54-55
exact/norm bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-19 7-8 7-12 8-9 8-34 9-10 10-11 11-12 11-60
20-21 20-25 21-22 22-23 23-24 24-25 24-32 26-27 26-31 27-28 28-29 29-30
30-31 39-40 39-44 40-41 41-42 42-43 43-44 43-45 45-46 46-47 49-50 49-55
50-52 52-53 53-54 54-55 56-57 56-58 60-61
exact bonds :
54-56
isolated ring systems :
containing 1 : 7 : 20 : 26 : 39 : 49 :

```

G1:C,N

G2:Ar,NH2,NO2

G3:O

10/513699

G4:[*1],[*2],[*3],[*4],[*5]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 19:CLASS 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom
26:Atom 27:Atom 28:Atom 29:Atom 30:Atom 31:Atom 32:CLASS 34:CLASS 39:Atom
40:Atom 41:Atom 42:Atom 43:Atom 44:Atom 45:CLASS 46:CLASS 47:CLASS 49:Atom
50:Atom 52:Atom 53:Atom 54:Atom 55:Atom 56:CLASS 57:CLASS 58:CLASS 60:CLASS
61:Atom

L9 STRUCTURE UPLOADED

=>

=>

=>

=>

=> d l9

L9 HAS NO ANSWERS

L9 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

=> s l9 full

FULL SEARCH INITIATED 17:10:12 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 504087 TO ITERATE

100.0% PROCESSED 504087 ITERATIONS

8735 ANSWERS

SEARCH TIME: 00.00.07

L10 8735 SEA SSS FUL L9

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

236.32

669.42

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-8.80

FILE 'CAPLUS' ENTERED AT 17:10:23 ON 03 MAR 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

<12/04/2007>

Erich Leese

The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 3 Mar 2008 VOL 148 ISS 10
FILE LAST UPDATED: 2 Mar 2008 (20080302/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l10 full
L11 3946 L10

=> file reg		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.48	669.90
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-8.80

FILE 'REGISTRY' ENTERED AT 17:10:46 ON 03 MAR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 2 MAR 2008 HIGHEST RN 1006303-40-7
DICTIONARY FILE UPDATES: 2 MAR 2008 HIGHEST RN 1006303-40-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>
Uploading C:\Program Files\Stnexp\Queries\10506998five.str

10/513699



```
chain nodes :
10 11 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35
ring nodes :
1 2 3 4 5 14 15 16 17 18 19 26
chain bonds :
1-27 1-28 2-18 3-33 3-34 4-10 5-29 5-30 10-11 15-20 16-35 20-21 20-22
22-23 22-24 23-25 26-31 26-32
ring bonds :
1-2 1-5 2-3 3-26 4-5 4-26 14-15 14-19 15-16 16-17 17-18 18-19
exact/norm bonds :
1-2 1-5 2-3 2-18 3-26 4-10 4-5 4-26 10-11 20-21 20-22 22-23
exact bonds :
1-27 1-28 3-33 3-34 5-29 5-30 15-20 16-35 22-24 23-25 26-31 26-32
normalized bonds :
14-15 14-19 15-16 16-17 17-18 18-19
isolated ring systems :
containing 1 :
```

G1:C,N

G2:Ak,NH2,NO2

G3:O

G4

G5:C,N,Zn,H

```
Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 10:CLASS 11:Atom 14:Atom 15:Atom
16:Atom 17:Atom 18:Atom 19:Atom 20:CLASS 21:CLASS 22:CLASS 23:CLASS
24:CLASS 25:CLASS 26:Atom 27:CLASS 28:CLASS 29:CLASS 30:CLASS 31:CLASS
32:CLASS 33:CLASS 34:CLASS 35:CLASS
```

L12 STRUCTURE UPLOADED

=> d l12

L12 HAS NO ANSWERS

L12 STR

<12/04/2007>

Erich Leese

attributes must be viewed using STN Express query preparation.

C:\Program Files\Stnexp\Queries\10506998jason.str



7> Erich Leese

10/513699

```
1 2 4 11
ring nodes :
5 6 7 8 9 10
chain bonds :
1-4 5-11
ring bonds :
5-6 5-7 6-8 7-9 8-10 9-10
exact/norm bonds :
1-4 5-6 5-7 5-11 6-8 7-9 8-10 9-10
```

G1:C,N

Match level :

1:Atom 2:Atom 4:CLASS 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:CLASS

Generic attributes :

1:

Saturation : Unsaturated

Number of Carbon Atoms : less than 7

Type of Ring System : Monocyclic

Element Count :

Node 1: Limited

C,C3-6


N,N0-3

L13 STRUCTURE UPLOADED

=> d l13

L13 HAS NO ANSWERS

L13 STR



G1 C,N

Structure attributes must be viewed using STN Express query preparation.

=> s l13 full

FULL SEARCH INITIATED 17:14:59 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 16181098 TO ITERATE

0.9% PROCESSED 148636 ITERATIONS

36379 ANSWERS

<12/04/2007>

Erich Leese

10/513699

1.8% PROCESSED	299019 ITERATIONS	66034 ANSWERS
2.9% PROCESSED	461612 ITERATIONS	102670 ANSWERS
4.6% PROCESSED	740840 ITERATIONS	158301 ANSWERS
5.0% PROCESSED	809762 ITERATIONS	172563 ANSWERS
5.5% PROCESSED	890441 ITERATIONS	190277 ANSWERS
6.1% PROCESSED	983608 ITERATIONS	207176 ANSWERS
6.2% PROCESSED	1000000 ITERATIONS	213282 ANSWERS


INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.02.03

FULL FILE PROJECTIONS: ONLINE **INCOMPLETE**
BATCH **INCOMPLETE**
PROJECTED ITERATIONS: 16181098 TO 16181098
PROJECTED ANSWERS: 3445667 TO 3456607

L14 213282 SEA SSS FUL L13

=>

Uploading C:\Program Files\Stnexp\Queries\10506998three.str



chain nodes :
13 14 25 26 27 28 29 30
ring nodes :
1 2 3 4 5 6 19 20 21 22 23 24
chain bonds :
2-23 5-13 13-14 20-25 25-26 25-27 27-28 27-29 28-30
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 19-20 19-24 20-21 21-22 22-23 23-24
exact/norm bonds :
1-2 1-6 2-3 2-23 3-4 4-5 5-6 5-13 13-14 25-26 25-27 27-28
exact bonds :
20-25 27-29 28-30
normalized bonds :
19-20 19-24 20-21 21-22 22-23 23-24
isolated ring systems :
containing 1 :

10/513699

G1:C,N

G2:Ak,NH2,NO2

G3:O

G4

G5:C,N,Zn,H

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 13:CLASS 14:Atom 19:Atom 20:Atom
21:Atom 22:Atom 23:Atom 24:Atom 25:CLASS 26:CLASS 27:CLASS 28:CLASS
29:CLASS 30:CLASS

L15 STRUCTURE UPLOADED

=> d l15

L15 HAS NO ANSWERS

L15 STR



G1 C,N

G2 Ak,NH2,NO2

G3 O

G4

G5 C,N,Zn,H

Structure attributes must be viewed using STN Express query preparation.

=> s l15

SAMPLE SEARCH INITIATED 17:25:27 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 23 TO ITERATE

<12/04/2007>

Erich Leese

10/513699

100.0% PROCESSED 23 ITERATIONS 11 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 173 TO 747
PROJECTED ANSWERS: 22 TO 418

L16 11 SEA SSS SAM L15

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	189.40	859.30
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-8.80

FILE 'CAPLUS' ENTERED AT 17:25:35 ON 03 MAR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 3 Mar 2008 VOL 148 ISS 10
FILE LAST UPDATED: 2 Mar 2008 (20080302/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l15 full

REGISTRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress...
Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

FULL SEARCH INITIATED 17:25:53 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 341 TO ITERATE

100.0% PROCESSED 341 ITERATIONS 107 ANSWERS
SEARCH TIME: 00.00.01

<12/04/2007>

Erich Leese

10/513699

L17 107 SEA SSS FUL L15

L18 9 L17

=> s l18 full

L19 9 L17

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.48	1038.62

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-8.80

CA SUBSCRIBER PRICE

FILE 'CAPLUS' ENTERED AT 17:26:15 ON 03 MAR 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 3 Mar 2008 VOL 148 ISS 10

FILE LAST UPDATED: 2 Mar 2008 (20080302/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l19 full


L20 9 L17

=> d ibib abs hitstr tot


L20 ANSWER 1 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2007:816930 CAPLUS
 DOCUMENT NUMBER: 147:211903
 TITLE: Preparation of pyrimidine derivatives as histone
 deacetylase inhibitors
 INVENTOR(S): Marconnet-Decrane, Laurence Francoise Bernadette;
 Gaurrand, Sandrine Francoise Dominique; Angibaud,
 Patrick Rene
 PATENT ASSIGNEE(S): Janssen Pharmaceutica N.V., Belg.
 SOURCE: PCT Int. Appl., 62pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007082874	A1	20070726	WO 2007-EP50371	20070116
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				

PRIORITY APPLN. INFO.: EP 2006-100570 A 20060119
 OTHER SOURCE(S): MARPAT 147:211903
 GI



I



II

AB The title compds. with general formula I [wherein R1 = OH or substituted phenyl; X = N or CH; R2 = amino, alkylamino, alkoxyl, OH, etc.; R3 =

(un)substituted Ph, naphthalene, or heterocycle] or N-oxide forms, pharmaceutically acceptable salts, or stereoisomeric forms thereof were prepared as histone deacetylase (HDAC) inhibitors for the treatment of proliferative diseases. For example, compound II was prepared in a multi-step synthesis. In vitro assay for inhibition of HDAC was performed to measure the inhibition of HDAC enzymic activity, and colorimetric assay was performed to determine cellular activity on A2780 tumor cells. II showed HDAC inhibitory and anti-proliferative activities in the above two assays with pIC50 values of 7.0 and 5.3, resp. Formulations containing I as active ingredients were also reported.

IT 944738-91-4P 944738-94-7P 944738-97-0P

944739-00-8P 944739-08-6P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of pyrimidine derivs. as histone deacetylase inhibitors)

RN 944738-91-4 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[(3E)-2-(acetylamino)-4-phenyl-3-buten-1-yl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 944738-90-3

CMF C21 H26 N6 O3

Double bond geometry as shown.



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 944738-94-7 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[(3E)-2-amino-4-phenyl-3-buten-1-yl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)


10/513699

CM 1

CRN 944738-93-6

CMF C19 H24 N6 O2

Double bond geometry as shown.



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 944738-97-0 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[(3E)-2-(2,5-dioxo-1-pyrrolidinyl)-4-phenyl-3-buten-1-yl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)


CM 1

CRN 944738-96-9

CMF C23 H26 N6 O4

Double bond geometry as shown.

10/513699



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 944739-00-8 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[(3E)-2-(4-fluorophenoxy)-4-phenyl-3-buten-1-yl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)


CM 1

CRN 944738-99-2

CMF C25 H26 F N5 O3

Double bond geometry as shown.

10/513699



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 944739-08-6 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[(3E)-2-(1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl)-4-phenyl-3-buten-1-yl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 944739-07-5
CMF C27 H26 N6 O4

Double bond geometry as shown.



CM 2

10/513699

CRN 76-05-1
CMF C2 H F3 O2



REFERENCE COUNT:


4

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L20 ANSWER 2 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2007:816806 CAPLUS
 DOCUMENT NUMBER: 147:211902
 TITLE: Preparation of pyrimidine derivatives as histone
 deacetylase inhibitors
 INVENTOR(S): Angibaud, Patrick Rene; Van Brandt, Sven Franciscus
 Anna; Marconnet-Decrane, Laurence Francoise
 Bernadette; Roux, Bruno
 PATENT ASSIGNEE(S): Janssen Pharmaceutica N.V., Belg.
 SOURCE: PCT Int. Appl., 63pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007082880	A1	20070726	WO 2007-EP50379	20070116
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

PRIORITY APPLN. INFO.: EP 2006-100571 A 20060119
 OTHER SOURCE(S): MARPAT 147:211902
 GI



AB The title compds. with general formula I [wherein R1 = OH or substituted phenyl; R2 = -CH2OH, -CH2OCH3, -CH2OCH2CH3, or -CH2CH(OH)CH2OH; T = N(R3), where R3 = H, alkyl, cycloalkyl, etc.; X = N or CH; Y = O, NH, CH2, etc.; n = 0-1; p = 0-1, provided that when p = 0 then n = 0 and Y = N, and -CH(R2)-Z is attached to Y; Z = (un)substituted aryl or heteroaryl or N-oxide forms, pharmaceutically acceptable salts, or stereoisomeric forms thereof were prepared as histone deacetylase (HDAC) inhibitors for the treatment of proliferative diseases. For example, compound II was prepared in a multi-step synthesis. In vitro assay for inhibition of HDAC was performed to measure the inhibition of HDAC enzymic activity, and colorimetric assay was performed to determine cellular activity on A2780 tumor cells. II showed HDAC inhibitory and anti-proliferative activities in the above two assays with pIC50 values of 7.0 and 7.1, resp. Formulations containing I as active ingredients were also reported.

IT 944712-03-2P 944712-05-4P 944712-07-6P
944712-09-8P 944712-10-1P 944712-12-3P
944712-14-5P 944712-16-7P 944712-18-9P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of pyrimidine derivs. as histone deacetylase inhibitors)

RN 944712-03-2 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[2-hydroxy-1-(1-naphthalenyl)ethyl]-1-piperazinyl]-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 944712-02-1

CME C21 H23 N5 O3

10/513699



CM 2


CRN 76-05-1
CMF C2 H F3 O2



RN 944712-05-4 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-(1-benzo[b]thien-2-yl-2-hydroxyethyl)-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 944712-04-3
CMF C19 H21 N5 O3 S



CM 2

10/513699



CRN 76-05-1
CMF C2 H F3 O2



RN 944712-07-6 CAPLUS
CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[2-hydroxy-1-[1-(phenylsulfonyl)-1H-indol-3-yl]ethyl]-1-piperazinyl]-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 944712-06-5
CMF C25 H26 N6 O5 S



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 944712-09-8 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[1-[4-(1,1-dimethylethyl)phenyl]-2,3-

<12/04/2007>

Erich Leese

10/513699


dihydroxypropyl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)



RN 944712-10-1 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[1-[4-(1,1-dimethylethyl)phenyl]-2,3-dihydroxypropyl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:1)
(CA INDEX NAME)

CM 1

CRN 944712-09-8
CMF C22 H31 N5 O4



CM 2

CRN 76-05-1
CMF C2 H F3 O2



RN 944712-12-3 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[(1R,2S)-1-[4-(1,1-dimethylethyl)phenyl]-2,3-dihydroxypropyl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?)
(CA INDEX NAME)

CM 1


CRN 944712-11-2
CMF C22 H31 N5 O4

Absolute stereochemistry.

<12/04/2007>

Erich Leese

10/513699



CM 2

CRN 76-05-1

CMF C2 H F3 O2




RN 944712-14-5 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[2-hydroxy-1-(2-naphthalenyl)ethyl]-1-piperazinyl]-, 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)

CM 1

CRN 944712-13-4

CMF C21 H23 N5 O3



CM 2

CRN 76-05-1

CMF C2 H F3 O2


10/513699



RN 944712-16-7 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[1-(2-benzofuranyl)-2-hydroxyethyl]-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 944712-15-6
CMF C19 H21 N5 O4



CM 2

CRN 76-05-1
CMF C2 H F3 O2




RN 944712-18-9 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-(1-benzo[b]thien-3-yl-2-hydroxyethyl)-1-piperazinyl]-N-hydroxy-, 2,2,2-trifluoroacetate (1:?) (CA INDEX NAME)

CM 1

CRN 944712-17-8
CMF C19 H21 N5 O3 S

10/513699



CM 2

CRN 76-05-1

CMF C2 H F3 O2



REFERENCE COUNT:

3

THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L20 ANSWER 3 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2007:485854 CAPLUS

DOCUMENT NUMBER: 146:482095

TITLE: Preparation of squaric acid derivatives as histone deacetylase (HDAC) inhibitors for the treatment of proliferative diseases

INVENTOR(S): Van Emelen, Kristof

PATENT ASSIGNEE(S): Janssen Pharmaceutica N. V., Belg.

SOURCE: PCT Int. Appl., 37pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007048767	A1	20070503	WO 2006-EP67656	20061023
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

PRIORITY APPLN. INFO.: EP 2005-110080 A 20051027

OTHER SOURCE(S): MARPAT 146:482095

GI



AB Title compds. I [wherein X = N or CH; R1, R2 = H, alkyl, Ph, etc.;] or N-oxides, pharmaceutically acceptable salts and stereoisomers thereof were prepared as histone deacetylase (HDAC) inhibitors. For instance, successive condensation of 3,4-diethoxy-3-cyclobutene-1,2-dione with 3-aminobiphenyl and 2-(1-piperazinyl)pyrimidine-5-carboxylic acid Et ester, ester hydrolysis, condensation of the resultant acid with NH2O-THP, and deprotection with TFA gave hydroxamic acid II. This compds. showed inhibition against HDAC with pIC50 = 7.7. The invented compds. are useful for the treatment of proliferative diseases.


IT 935670-93-2P 935670-95-4P 935670-97-6P
 935670-99-8P 935671-01-5P 935671-03-7P
 935671-05-9P 935671-07-1P 935671-09-3P
 935671-11-7P 935671-13-9P 935671-15-1P
 935671-17-3P 935671-19-5P 935671-21-9P
 935671-23-1P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of squaric acid derivs. as histone deacetylase (HDAC) inhibitors for treatment of proliferative diseases)


RN 935670-93-2 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[2-([1,1'-biphenyl]-3-ylamino)-3,4-dioxo-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)




RN 935670-95-4 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3,4-dioxo-2-[[1-(phenylmethyl)-3-pyrrolidinyl]methyl]amino]-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)



RN 935670-97-6 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[3,4-dioxo-2-(pentylamino)-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)



RN 935670-99-8 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[3,4-dioxo-2-[(1,2,3,4-tetrahydro-1-naphthalenyl)amino]-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)

10/513699




RN 935671-01-5 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[2-[(2-(3-chlorophenoxy)ethyl)amino]-3,4-dioxo-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)



RN 935671-03-7 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[2-[(3-(diethylamino)propyl)amino]-3,4-dioxo-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)




<12/04/2007>

Erich Leese

10/513699


RN 935671-05-9 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[2-[(2-furanylmethyl)amino]-3,4-dioxo-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)



RN 935671-07-1 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[2-[[[1-(4-chlorophenyl)cyclopropyl)methyl]amino]-3,4-dioxo-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)



RN 935671-09-3 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[3,4-dioxo-2-[(3-pyridinylmethyl)amino]-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)

10/513699




RN 935671-11-7 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3,4-dioxo-2-[(2-phenylethyl)amino]-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)




RN 935671-13-9 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3,4-dioxo-2-[[2-(2-pyridinyl)ethyl]amino]-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)




RN 935671-15-1 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3,4-dioxo-2-[[[3-(trifluoromethyl)phenyl]methyl]amino]-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)




RN 935671-17-3 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3,4-dioxo-2-[[3,4,5-trimethoxyphenyl)methyl]amino]-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)




RN 935671-19-5 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3,4-dioxo-2-[[2-(phenylamino)ethyl]amino]-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)




RN 935671-21-9 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3,4-dioxo-2-[[3-(2-oxo-1-pyrrolidinyl)propyl]amino]-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)



RN 935671-23-1 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3,4-dioxo-2-[(2-phenoxyethyl)amino]-1-cyclobuten-1-yl]-1-piperazinyl]-N-hydroxy- (CA INDEX NAME)





REFERENCE COUNT: 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L20 ANSWER 4 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2006:101446 CAPLUS
 DOCUMENT NUMBER: 144:192266
 TITLE: Preparation of substituted propenyl piperazine derivatives as novel inhibitors of histone deacetylase
 INVENTOR(S): Van Brandt, Sven Franciscus Anna; Van Emelen, Kristof; Angibaud, Patrick Rene; Marconnet-Decrane, Laurence Francoise Bernadette; Arts, Janine
 PATENT ASSIGNEE(S): Janssen Pharmaceutica N.V., Belg.
 SOURCE: PCT Int. Appl., 67 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006010749	A2	20060202	WO 2005-EP53611	20050725
WO 2006010749	A3	20060608		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GO, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
AU 2005266311	A1	20060202	AU 2005-266311	20050725
CA 2572971	A1	20060202	CA 2005-2572971	20050725
EP 1776358	A2	20070425	EP 2005-777776	20050725
R:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL, BA, HR, MK, YU			
CN 1993356	A	20070704	CN 2005-80025487	20050725
KR 2007043978	A	20070426	KR 2007-701641	20070123
US 2007135424	A1	20070614	US 2007-626215	20070123
IN 2007DN00658	A	20070803	IN 2007-DN658	20070124
MX 200701119	A	20070315	MX 2007-1119	20070126
NO 2007001117	A	20070227	NO 2007-1117	20070227
PRIORITY APPLN. INFO.:			EP 2004-77171	A 20040728
			US 2004-592357P	P 20040729
			WO 2005-EP53611	W 20050725

OTHER SOURCE(S): CASREACT 144:192266; MARPAT 144:192266
 GI



AB Substituted propenyl piperazine derivs. I, wherein X is independently N or CH; R1 is Ph, naphthalenyl or heterocyclyl; wherein each of said Ph or naphthalenyl is optionally substituted with one or two substituents each independently selected from halo, alkyl, alkyloxy, poly-halo-alkyl, aryl, hydroxy, cyano, amino, alkylcarbonylamino, alkylsulfonylamino, hydroxycarbonyl, alkylloxycarbonyl, hydroxyalkyl, alkylloxymethyl, aminomethyl, alkylaminomethyl, alkylcarbonylaminomethyl, alkylsulfonylaminomethyl, aminosulfonyl, alkylaminosulfonyl or heterocyclyl; R2 is hydrogen, -CH2R5, trifluoromethyl, -C(O)-R6, or -CH-NR7/R8; wherein each R5 is independently hydrogen, hydroxy, alkyloxy, alkyloxyalkyloxy, alkylcarbonyloxy, piperazinyl, N-methylpiperazinyl, morpholinyl, thiomorpholinyl, imidazolyl or triazolyl; each R6 is independently hydroxy, alkyloxy, amino or mono- or di(alkyl)amino, cycloalkylamino, hydroxyalkylamino, piperazinyl, N-methylpiperazinyl, morpholinyl or thiomorpholinyl; each R7 and R8 are independently hydrogen, alkyl, alkylcarbonyl, alkylsulfonyl, or mono- or di(alkyl)aminosulfonyl; R3 is hydrogen, hydroxymethyl, aminomethyl or mono- or di(alkyl)aminomethyl; R4 is hydrogen or alkyl; were prepared and having histone deacetylase inhibiting enzymic activity and to inhibit proliferative conditions, such as cancer and psoriasis. Thus, propenyl piperazine derivative II was prepared and tested in vitro and in nude mice as inhibitor of histone deacetylase and was better than R306465 after oral administration. P21 enzyme linked immunosorbent assay has been applied to determine the p21 protein expression level in human A2780 ovarian carcinoma cells. In vitro assay for inhibition of histone deacetylase is reported. P21 induction was measured as the consequence of DNA damage or as the consequence of histone deacetylase inhibition. Antiproliferative activity of title compds. was determined on A2780 cells (neg. log value of the IC50, pIC50 = 7.9-8.2).

IT 875138-85-5P 875138-87-7P 875138-88-8P
 875138-89-9P 875138-90-2P 875138-91-3P
 875138-93-5P 875138-94-6P 875138-98-0P
 875139-00-7P 875139-02-9P 875139-04-1P
 875139-06-3P 875139-07-4P 875139-09-6P
 875139-11-0P 875139-13-2P 875139-14-3P
 875139-15-4P 875139-17-6P 875139-19-8P
 875139-20-1P 875139-21-2P 875139-23-4P
 875139-24-5P 875139-25-6P 875139-26-7P
 875139-27-8P 875139-28-9P 875139-29-0P
 875139-30-3P 875139-31-4P 875139-69-8P

10/513699


875139-70-1P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of substituted propenyl piperazine derivs. as novel inhibitors of histone deacetylase)

RN 875138-85-5 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-(hydroxymethyl)-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)




RN 875138-87-7 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3-(4-chlorophenyl)-1-(4-morpholinylmethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875138-86-6

CMF C23 H29 Cl N6 O3



CM 2

CRN 76-05-1

CMF C2 H F3 O2




10/513699

RN 875138-88-8 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[(2E)-1-methyl-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



RN 875138-89-9 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[(2E)-1-methyl-3-phenyl-2-propenyl]-1-piperazinyl]-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875138-88-8

CMF C19 H23 N5 O2

Double bond geometry as shown.



CM 2

CRN 76-05-1


CMF C2 H F3 O2

10/513699




RN 875138-90-2 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3-(4-fluorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)



RN 875138-91-3 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[1-[(acetyloxy)methyl]-3-phenyl-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)




RN 875138-93-5 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[1-[(dimethylamino)carbonyl]-3-(4-fluorophenyl)-1-methyl-2-propenyl]-1-piperazinyl]-N-hydroxy-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875138-92-4

CMF C22 H27 F N6 O3




CM 2

10/513699

CRN 76-05-1
CMF C2 H F3 O2



RN 875138-94-6 CAPLUS
CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-(methoxymethyl)-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)




RN 875138-98-0 CAPLUS
CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[(2E)-1-(hydroxymethyl)-3-(4-methoxyphenyl)-2-propenyl]-1-piperazinyl]-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875138-97-9
CMF C20 H25 N5 O4

Double bond geometry as shown.



CM 2

CRN 76-05-1

10/513699

CMF C2 H F3 O2



RN 875139-00-7 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[(2E)-3-(4-chlorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy-, mono(trifluoroacetate) (salt) (9CI)
(CA INDEX NAME)

CM 1

CRN 875138-99-1

CMF C19 H22 Cl N5 O3

Double bond geometry as shown.



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 875139-02-9 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3-[1,1'-biphenyl]-4-yl]-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy-, mono(trifluoroacetate) (salt) (9CI)
(CA INDEX NAME)


CM 1

<12/04/2007>

Erich Leese

10/513699

CRN 875139-01-8
CMF C25 H27 N5 O3



CM 2


CRN 76-05-1
CMF C2 H F3 O2



RN 875139-04-1 CAPLUS
CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-(hydroxymethyl)-3-[4-(trifluoromethyl)phenyl]-2-propenyl]-1-piperazinyl]-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875139-03-0
CMF C20 H22 F3 N5 O3



CM 2

CRN 76-05-1
CMF C2 H F3 O2

10/513699




RN 875139-06-3 CAPLUS
CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[(2E)-1-(hydroxymethyl)-3-(4-methylphenyl)-2-propenyl]-1-piperazinyl]-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875139-05-2
CMF C20 H25 N5 O3

Double bond geometry as shown.




CM 2

CRN 76-05-1
CMF C2 H F3 O2



RN 875139-07-4 CAPLUS
CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-methyl-1-(4-morpholinylcarbonyl)-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)

10/513699




RN 875139-09-6 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[1-[(ethylmethylamino)carbonyl]-3-(4-fluorophenyl)-1-methyl-2-propenyl]-1-piperazinyl]-N-hydroxy-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875139-08-5

CMF C23 H29 F N6 O3



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 875139-11-0 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[1-[(cyclopropylamino)carbonyl]-3-phenyl-2-propenyl]-1-piperazinyl]-N-hydroxy-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875139-10-9

CMF C22 H26 N6 O3

10/513699



CM 2

CRN 76-05-1

CMF C2 H F3 O2




RN 875139-13-2 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-[(methylamino)carbonyl]-3-phenyl-2-propenyl]-1-piperazinyl]-, mono(trifluoroacetate) (salt) (9CI)
(CA INDEX NAME)

CM 1

CRN 875139-12-1

CMF C20 H24 N6 O3



CM 2

CRN 76-05-1


CMF C2 H F3 O2

10/513699




RN 875139-14-3 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-(4-morpholinylcarbonyl)-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)



RN 875139-15-4 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[1-[[[2-(dimethylamino)ethylamino]carbonyl]-3-phenyl-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)



RN 875139-17-6 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-[[[2-(hydroxyethyl)amino]carbonyl]-3-phenyl-2-propenyl]-1-piperazinyl]-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875139-16-5


CMF C21 H26 N6 O4

10/513699



RN 875139-20-1 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-(4-morpholinylmethyl)-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)



RN 875139-21-2 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[(2E)-1-[(4-methyl-1-piperazinyl)methyl]-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



RN 875139-23-4 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-(1H-imidazol-1-ylmethyl)-3-phenyl-2-propenyl]-1-piperazinyl]-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 875139-22-3

CME C22 H25 N7 O2

10/513699



CM 2


CRN 76-05-1

CMF C2 H F3 O2



RN 875139-24-5 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[1-(ethoxymethyl)-3-phenyl-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)



RN 875139-25-6 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[(1S)-1-(hydroxymethyl)-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

<12/04/2007>

Erich Leese

10/513699

Double bond geometry unknown.




RN 875139-26-7 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[(1R)-1-(hydroxymethyl)-3-phenyl-2-propenyl]-1-piperazinyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry unknown.




RN 875139-27-8 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[(1S)-3-(4-fluorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

Double bond geometry unknown.




RN 875139-28-9 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3-(3-fluorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)




RN 875139-29-0 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3-(2-fluorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)



RN 875139-30-3 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[3-(4-fluorophenyl)-1-(methoxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)




RN 875139-31-4 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-[(1S)-3-(4-fluorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)

10/513699

propenyl]-1-piperazinyl]-N-hydroxy-, monohydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry unknown.



● HCl

RN 875139-69-8 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[(1R)-3-(4-fluorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)


Absolute stereochemistry.
Double bond geometry unknown.



RN 875139-70-1 CAPLUS
CN 5-Pyrimidinecarboxamide, 2-[4-[(1R)-3-(4-fluorophenyl)-1-(hydroxymethyl)-2-propenyl]-1-piperazinyl]-N-hydroxy-, monohydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

10/513699



● HCl

<12/04/2007>

Erich Leese

L20 ANSWER 5 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2005:300395 CAPLUS

DOCUMENT NUMBER: 142:355054

TITLE: Preparation of amide derivatives as inhibitors of histone deacetylase

INVENTOR(S): Moradei, Oscar; Paquin, Isabelle; Leit, Silvana; Frechette, Sylvie; Valsburg, Arkadii; Besterman, Jeffrey M.; Tessier, Pierre; Mallais, Tammy C.

PATENT ASSIGNEE(S): Methylogene, Inc., Can.
SOURCE: PCT Int. Appl., 559 pp.

CODEN: PIXXD2



DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005030705	A1	20050407	WO 2004-US31591	20040924
WO 2005030705	A9	20060420		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2004276337	A1	20050407	AU 2004-276337	20040924
CA 2539117	A1	20050407	CA 2004-2539117	20040924
EP 1663993	A1	20060607	EP 2004-789074	20040924
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR			
CN 1882529	A	20061220	CN 2004-80034571	20040924
JP 2007506785	T	20070322	JP 2006-528279	20040924
PRIORITY APPLN. INFO.:			US 2003-505884P	P 20030924
			US 2003-532973P	P 20031229
			US 2004-561082P	P 20040409
			WO 2004-US31591	W 20040924
OTHER SOURCE(S):		CASREACT 142:355054; MARPAT 142:355054		
GI				



AB Title compds. I [Arl = (un)saturated-, (un)substituted-mono or fused poly-cyclic hydrocarbyl optionally containing 1-4 heteroatoms per ring; R1 = (un)substituted-mono-, -bi-, -tri-cyclic-aryl or -heteroaryl; R2, R3, and R4 independently = H, halo, amino, etc.; R5 and R6 independently = H, alkyl, aryl, etc.; x = 0-1; Y = any pharmaceutically acceptable chemical moiety consisting of 1 to 50 atoms with provisions] and their pharmaceutically acceptable salts, are prepared and disclosed as inhibitors of histone deacetylase. Thus, e.g., II was prepared by Suzuki coupling of 2-bromo-2-nitro-phenylamine (preparation given) with 2-thiopheneboronic acid followed by carbonylation with 4-[3,4-dimethoxy-(phenylamino)-methyl]benzoic acid (preparation given) and subsequent reduction. The inhibitory

capability of I towards antiproliferative activity of histone deacetylase enzyme was evaluated using 3-[4,5-dimethylthiazol-2-yl]-2,5-diphenyltetrazolium] bromide (MTT) assay and it revealed that certain compds. of the invention had MTT IC 50 values in the range of below 1 up to 20 μ M. I as histone deacetylase inhibitors should prove useful in the treatment of diseases such as, but not limited to, cell proliferative disease, protozoal disease, and fungal disease.

IT 603985-82-6P 603985-86-0P 603985-88-2P
603985-90-6P 603985-94-0P 603991-95-3P
603991-96-4P 603992-24-1P 603992-25-2P
603992-26-3P 603992-27-4P 603992-28-5P
604784-81-8P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of amide derivs. as inhibitors of histone deacetylase)

10/513699


RN 603985-82-6 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-(2-naphthalenylsulfonyl)-4-piperidiny]-1-piperazinyl]- (CA INDEX NAME)




RN 603985-86-0 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[[5-[4-(hydroxymethyl)phenyl]-2-furanyl]methyl]-1-piperazinyl]- (CA INDEX NAME)




RN 603985-88-2 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-naphthalenylmethyl)-1-piperazinyl]- (CA INDEX NAME)



RN 603985-90-6 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[2-(2-naphthalenyl)ethyl]-1-piperazinyl]- (CA INDEX NAME)




RN 603985-94-0 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[[5-[4-(4-morpholinylmethyl)phenyl]-2-furanyl]methyl]-1-piperazinyl]- (CA INDEX


10/513699

NAME)




RN 603991-95-3 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-(diphenylacetyl)-1-piperazinyl]-N-hydroxy-
(9CI) (CA INDEX NAME)




RN 603991-96-4 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-naphthalenylcarbonyl)-1-piperazinyl]-
(CA INDEX NAME)



RN 603992-24-1 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-thienylacetyl)-1-piperazinyl]-
(9CI) (CA INDEX NAME)



RN 603992-25-2 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(1-naphthalenylcarbonyl)-1-piperazinyl]-
(CA INDEX NAME)

10/513699




RN 603992-26-3 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(3-pyridinylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)



RN 603992-27-4 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[(3,4-dimethoxyphenyl)acetyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)



RN 603992-28-5 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-pyridinylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)

10/513699



RN 604784-81-8 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[3-[[2-(naphthalenylsulfonyl)amino]methyl]-4-(phenylmethyl)-1-piperazinyl]- (CA INDEX NAME)



REFERENCE COUNT:

6

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L20 ANSWER 6 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2005:300394 CAPLUS

DOCUMENT NUMBER: 142:373563

TITLE: Preparation of amide derivatives as inhibitors of histone deacetylase

INVENTOR(S): Moradei, Oscar; Paquin, Isabelle; Leit, Silvana; Frechette, Sylvie; Valsburg, Arkadii; Besterman, Jeffrey M.; Tessier, Pierre; Mallais, Tammy C.

PATENT ASSIGNEE(S): Methygene, Inc., Can.
SOURCE: PCT Int. Appl., 389 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English



FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005030704	A1	20050407	WO 2004-US31590	20040924
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
PRIORITY APPLN. INFO.:			US 2003-505884P	P 20030924
			US 2003-532973P	P 20031229
			US 2004-561082P	P 20040409

OTHER SOURCE(S): MARPAT 142:373563

GI



AB Title compds. I [Arl = (un)saturated-, (un)substituted-mono or fused poly-cyclic hydrocarbyl optionally containing 1-4 heteroatoms per ring; R1 = (un)substituted-mono-, -bi-, -tri-cyclic-aryl or -heteroaryl; R2, R3, and R4 independently = H, halo, amino, etc.; R5 and R6 independently = H, alkyl, aryl, etc.; x = 0-1; Y = any pharmaceutically acceptable chemical moiety consisting of 1 to 50 atoms with provisions] and their pharmaceutically acceptable salts, are prepared and disclosed as inhibitors of histone deacetylase. Thus, e.g., II was prepared by Suzuki coupling of 2-bromo-2-nitro-phenylamine (preparation given) with 2-thiopheneboronic acid followed by carbonylation with 4-[3,4-dimethoxy-(phenylamino)-methyl]benzoic acid (preparation given) and subsequent reduction. The inhibitory

capability of I towards antiproliferative activity of histone deacetylase enzyme was evaluated using 3-[4,5-dimethylthiazol-2-yl]-2,5-diphenyltetrazolium] bromide (MTT) assay and it revealed that certain compds. of the invention had MTT IC 50 values in the range of below 1 up to 20 μ M. I as histone deacetylase inhibitors should prove useful in the treatment of diseases such as, but not limited to, cell proliferative disease, protozoal disease, and fungal disease.

IT 603985-82-6P 603985-86-0P 603985-88-2P
603985-90-6P 603985-94-0P 603991-95-3P
603991-96-4P 603992-24-1P 603992-25-2P
603992-26-3P 603992-27-4P 603992-28-5P
604784-81-8P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of amide derivs. as inhibitors of histone deacetylase)

10/513699


RN 603985-82-6 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-(2-naphthalenylsulfonyl)-4-piperidiny]-1-piperazinyl]- (CA INDEX NAME)




RN 603985-86-0 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[[5-[4-(hydroxymethyl)phenyl]-2-furanyl]methyl]-1-piperazinyl]- (CA INDEX NAME)




RN 603985-88-2 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-naphthalenylmethyl)-1-piperazinyl]- (CA INDEX NAME)



RN 603985-90-6 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[2-(2-naphthalenyl)ethyl]-1-piperazinyl]- (CA INDEX NAME)




RN 603985-94-0 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[[5-[4-(4-morpholinylmethyl)phenyl]-2-furanyl]methyl]-1-piperazinyl]- (CA INDEX


10/513699

NAME)




RN 603991-95-3 CAPLUS

CN 5-Pyrimidinecarboxamide, 2-[4-(diphenylacetyl)-1-piperazinyl]-N-hydroxy-
(9CI) (CA INDEX NAME)




RN 603991-96-4 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-naphthalenylcarbonyl)-1-piperazinyl]-
(CA INDEX NAME)



RN 603992-24-1 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-thienylacetyl)-1-piperazinyl]-
(9CI) (CA INDEX NAME)



RN 603992-25-2 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(1-naphthalenylcarbonyl)-1-piperazinyl]-
(CA INDEX NAME)

10/513699




RN 603992-26-3 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(3-pyridinylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)



RN 603992-27-4 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[(3,4-dimethoxyphenyl)acetyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)



RN 603992-28-5 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-pyridinylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)

10/513699



RN 604784-81-8 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[3-[[2-(naphthalenylsulfonyl)amino]methyl]-4-(phenylmethyl)-1-piperazinyl]- (CA INDEX NAME)



REFERENCE COUNT:

6

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L20 ANSWER 7 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2003:737757 CAPLUS

DOCUMENT NUMBER: 139:276911

TITLE: Preparation of N-(piperazinylmethyl-,
piperidinylmethyl- and morpholinylmethyl) sulfonamides
and amides as novel inhibitors of histone deacetylase
INVENTOR(S): Van Emelen, Kristof
PATENT ASSIGNEE(S): Janssen Pharmaceutica N.V., Belg.
SOURCE: PCT Int. Appl., 69 pp.
CODEN: PIXXD2



DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 8

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003076438	A1	20030918	WO 2003-EP2510	20030311
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2475766	A1	20030918	CA 2003-2475766	20030311
AU 2003218735	A1	20030922	AU 2003-218735	20030311
EP 1485378	A1	20041215	EP 2003-711979	20030311
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2003007606	A	20041221	BR 2003-7606	20030311
CN 1642948	A	20050720	CN 2003-805921	20030311
JP 2005526766	T	20050908	JP 2003-574655	20030311
NZ 534833	A	20060728	NZ 2003-534833	20030311
CN 101007803	A	20070801	CN 2007-10005212	20030311
IN 2004DN02536	A	20070413	IN 2004-DN2536	20040831
US 2005165016	A1	20050728	US 2004-507084	20040908
MX 2004PA08795	A	20041126	MX 2004-PA8795	20040910
NO 2004004135	A	20040929	NO 2004-4135	20040929
PRIORITY APPLN. INFO.:			US 2002-363799P	P 20020313
			WO 2002-EP14833	A 20021223
			CN 2003-805921	A3 20030311
			WO 2003-EP2510	W 20030311
OTHER SOURCE(S):	MARPAT 139:276911			
GI				



AB The title compds. [I; t = 0-4; Q, X, Y = N, C; Z = NH, O, CH₂; R₁ = CONR₃R₄, NHCOR₇, CO(alkanediyl)SR₇, etc. (wherein R₃, R₄ = H, OH, alkyl, etc.; R₇ = H, alkyl, alkylcarbonyl, etc.); R₂ = H, OH, NH₂, etc.; L = NR₉CO, NR₉SO₂, NR₉CH₂ (R₉ = H, alkyl, cycloalkyl, etc.); A = (un)substituted Ph, cycloalkyl, pyridyl, etc.], having histone deacetylase inhibiting enzymic activity, were prepared and formulated. E.g., a multi-step synthesis of (+)-II which showed pIC₅₀ of 7.723 against HDAC, was given.


IT 604784-81-8P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of N-(piperazinylmethyl-, piperidinylmethyl- and morpholinylmethyl) sulfonamides and amides as novel inhibitors of histone deacetylase)

RN 604784-81-8 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[3-[(2-naphthalenylsulfonyl)amino]methyl]-4-(phenylmethyl)-1-piperazinyl]- (CA INDEX NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L20 ANSWER 8 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2003:737723 CAPLUS

DOCUMENT NUMBER: 139:261309

TITLE: Preparation of N-hydroxy-5-piperazino(piperidino or diazepino)-2-pyrimidinecarboxamides and N-hydroxy-4-piperazino(piperidino or diazepino)benzamides as new inhibitors of histone deacetylase

INVENTOR(S): Angibaud, Patrick Rene; Pilatte, Isabelle Noelle
 Constance; Van Brandt, Sven Franciscus Anna; Roux, Bruno; Ten Holte, Peter; Verdonck, Marc Gustaaf
 Celine; Meerpoel, Lieven; Dyatkin, Alexey Borisovich
 PATENT ASSIGNEE(S): Janssen Pharmaceutica N.V., Belg.
 SOURCE: PCT Int. Appl., 72 pp.
 CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English



FAMILY ACC. NUM. COUNT: 8

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003076400	A1	20030918	WO 2003-EP2514	20030311
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2475764	A1	20030918	CA 2003-2475764	20030311
AU 2003218736	A1	20030922	AU 2003-218736	20030311
EP 1485353	A1	20041215	EP 2003-711980	20030311
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2003008081	A	20041221	BR 2003-8081	20030311
CN 1639125	A	20050713	CN 2003-805675	20030311
CN 1642551	A	20050720	CN 2003-805833	20030311
NZ 534834	A	20050729	NZ 2003-534834	20030311
JP 2005526067	T	20050902	JP 2003-574621	20030311
CN 101007803	A	20070801	CN 2007-10005212	20030311
IN 2004DN02533	A	20070413	IN 2004-DN2533	20040831
US 2005107384	A1	20050519	US 2004-506998	20040908
ZA 2004007237	A	20050928	ZA 2004-7237	20040909
ZA 2004007235	A	20051004	ZA 2004-7235	20040909
ZA 2004007232	A	20051006	ZA 2004-7232	20040909
ZA 2004007233	A	20051006	ZA 2004-7233	20040909
ZA 2004007234	A	20051006	ZA 2004-7234	20040909
ZA 2004007236	A	20051006	ZA 2004-7236	20040909
MX 2004PA08806	A	20041126	MX 2004-PA8806	20040910
NO 2004004194	A	20041001	NO 2004-4194	20041001
PRIORITY APPLN. INFO.:			US 2002-363799P	P 20020313
			WO 2002-EP14833	A 20021223
			CN 2003-805921	A3 20030311

OTHER SOURCE(S):
GI

MARPAT 139:261309



AB The title compds. [I; n = 0-3; t = 0-4; Q, X, Y = N, C; Z = N, CH; R1 = CONR7R8, NHCOR9, CO(alkanediyl)SR9, etc. (wherein R7, R8 = H, OH, alkyl, etc.; R9 = H, alkyl, alkylcarbonyl, etc.); R2 = H, halo, OH, etc.; L = a bond, alkanediyl, alkanediylloxy, NH, CO, NHCO; each R3 = H and one H atom can be replaced by aryl; R4 = H, OH, NH2, etc.; A = (un)substituted Ph, cyclohexyl, pyridyl, etc.], having histone deacetylase inhibiting enzymic activity, were prepared and formulated. E.g., a multi-step synthesis of II which showed pIC50 of 5.121 against HDAC, was given.

IT 603985-83-7P 603985-87-1P 603985-89-3P
603985-91-7P 603985-95-1P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of piperazino(piperidino or diazepino) substituted 2-pyrimidinecarboxylic acids and N-hydroxybenzamides as new inhibitors of histone deacetylase)

RN 603985-83-7 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[1-(2-naphthalenylsulfonyl)-4-piperidinyl]-1-piperazinyl]-, trifluoroacetate (10:9) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 603985-82-6

CMF C24 H28 N6 O4 S

10/513699


RN 603985-89-3 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-naphthalenylmethyl)-1-piperazinyl]-, trifluoroacetate (5:4) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 603985-88-2

CMF C20 H21 N5 O2



CM 2

CRN 76-05-1

CMF C2 H F3 O2




RN 603985-91-7 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[2-(2-naphthalenyl)ethyl]-1-piperazinyl]-, trifluoroacetate (5:4) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 603985-90-6

CMF C21 H23 N5 O2



CM 2

CRN 76-05-1

CMF C2 H F3 O2

10/513699




RN 603985-95-1 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-[[[5-[4-(4-morpholinylmethyl)phenyl]-2-furanyl)methyl]-1-piperazinyl]-, bis(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 603985-94-0

CMF C25 H30 N6 O4



CM 2

CRN 76-05-1

CMF C2 H F3 O2



REFERENCE COUNT:

3

THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

10/513699



L20 ANSWER 9 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2003:737586 CAPLUS
 DOCUMENT NUMBER: 139:261308
 TITLE: Preparation of aryl and heteroaryl hydroxamic acids as inhibitors of histone deacetylase for treating proliferative diseases
 INVENTOR(S): Van Emelen, Kristof; Verdonck, Marc Gustaaf Celine; Van Brandt, Sven Franciscus Anna; Angibaud, Patrick Rene; Meerpoel, Lieven; Dyatkin, Alexey Borisovich Janssen Pharmaceutica N.V., Belg.
 PATENT ASSIGNEE(S):
 SOURCE: PCT Int. Appl., 52 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 8
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003075929	A1	20030918	WO 2003-EP2515	20030311
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2476065	A1	20030918	CA 2003-2476065	20030311
AU 2003218737	A1	20030922	AU 2003-218737	20030311
EP 1485099	A1	20041215	EP 2003-711981	20030311
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2003007624	A	20050111	BR 2003-7624	20030311
CN 1639125	A	20050713	CN 2003-805675	20030311
CN 1642551	A	20050720	CN 2003-805833	20030311
JP 2005525379	T	20050825	JP 2003-574203	20030311
NZ 534832	A	20050930	NZ 2003-534832	20030311
CN 101007803	A	20070801	CN 2007-10005212	20030311
IN 2004DN02537	A	20070112	IN 2004-DN2537	20040831
ZA 2004007237	A	20050928	ZA 2004-7237	20040909
ZA 2004007235	A	20051004	ZA 2004-7235	20040909
ZA 2004007232	A	20051006	ZA 2004-7232	20040909
ZA 2004007233	A	20051006	ZA 2004-7233	20040909
ZA 2004007234	A	20051006	ZA 2004-7234	20040909
ZA 2004007236	A	20051006	ZA 2004-7236	20040909
MX 2004PA08797	A	20041126	MX 2004-PA8797	20040910
US 2005096468	A1	20050505	US 2004-507785	20040913
NO 2004004113	A	20040928	NO 2004-4113	20040928
PRIORITY APPLN. INFO.:			US 2002-363799P	P 20020313
			WO 2002-EP14833	A 20021223
			CN 2003-805921	A3 20030311
			WO 2003-EP2515	W 20030311

OTHER SOURCE(S): MARPAT 139:261308
 GI

<12/04/2007>

Erich Leese



AB This invention comprises aryl and heteroaryl hydroxamic acids (shown as I; variables defined below; e.g. II) having histone deacetylase inhibiting enzymic activity; their preparation, compns. containing them and their use as a medicine. Compds. I show excellent in-vitro histone deacetylase inhibiting enzymic activity, have advantageous properties with regard to cellular activity and specific properties with regard to inhibition of cell cycle progression at both G1 and G2 checkpoints (p21 induction capacity), and show good metabolic stability and high bioavailability and more particular show oral bioavailability. They can also be used for detection and identification of histone deacetylase. General synthetic procedures and characterization data for twenty-seven I are included; also, preps. of 12 intermediates are included. For example, a 59 % yield of 2-[4-(dimethylaminosulfonyl)piperazin-1-yl]pyrimidine-5-carboxylic acid was obtained by removing the O-tetrahydropyran-1-yl group of its ester using trifluoroacetic acid; the ester was prepared in 61 % yield from N'-(ethylcarbonimidoyl)-N,N-dimethyl-1,3-propanediamine monohydrochloride, sodium 2-[4-(dimethylaminosulfonyl)piperazin-1-yl]pyrimidine-5-carboxylate, O-(tetrahydro-2H-pyran-2-yl)hydroxylamine, and 1-hydroxy-1H-benzotriazole in CH₂Cl₂/THF. The sodium salt was obtained by base hydrolysis of the Et ester; the ester was prepared in 73 % yield from Et 2-(piperazin-1-yl)pyrimidine-5-carboxylate and dimethylsulfamoyl chloride; Et 2-(piperazin-1-yl)pyrimidine-5-carboxylate was obtained in <96 % yield from Et 2-(4-benzylpiperazin-1-yl)pyrimidine-5-carboxylate by hydrogenation using Pd/C; the benzyl derivative was obtained from 1-(phenylmethyl)piperazine, (135 mL) was added gradually to a solution of potassium carbonate (0.18 mol) and 2-(methylsulfonyl)-5-pyrimidinecarboxylic acid Et ester, K₂CO₃ in MeCN. For I: n is 0-3; Q, X and Y are N or C; Z is N or CH; R₁ is -C(O)NR₅R₆, -N(H)C(O)R₇, -C(O)-C1-6alkanediylSR₇, -NR₈C(O)N(OH)R₇, -NR₈C(O)C1-6alkanediylSR₇, -NR₈C(O)C:N(OH)R₇ or another Zn-chelating-group; R₂ is H, halo, hydroxy, amino, nitro, C1-6alkyl, C1-6alkyloxy, trifluoromethyl, di(C1-6-alkyl)amino, hydroxyamino or naphthalenylsulfonylpyrazinyl. R₃ is H, C1-6-alkyl, arylC2-6alkenediyl, furanylcarbonyl, naphthalenylcarbonyl, -C(O)phenylR₉, C1-6alkylaminocarbonyl, aminosulfonyl, arylaminosulfonyl, aminosulfonylamino, di(C1-6-alkyl)aminosulfonylamino, arylaminosulfonylamino, aminosulfonylaminoC1-6-alkyl, di(C1-6-alkyl)aminosulfonylaminoC1-6-alkyl, arylaminosulfonylaminoC1-6alkyl, di(C1-6-alkyl)aminoC1-6alkyl, C11-12-alkylsulfonyl, di(C1-6-alkyl)aminosulfonyl, trihaloC1-6-alkylsulfonyl, di(aryl)C1-6alkylcarbonyl, thiophenylC1-6alkylcarbonyl, pyridinylcarbonyl or arylC1-6alkylcarbonyl. R₄ is H, hydroxy, amino, hydroxyC1-6alkyl, C1-6alkyl, C1-6alkyloxy, arylC1-6alkyl, aminocarbonyl, hydroxycarbonyl, aminoC1-6-alkyl,

aminocarbonylC1-6-alkyl, hydroxycarbonylC1-6-alkyl, hydroxyaminocarbonyl, C1-6-alkyloxycarbonyl, C1-6-alkylaminoC1-6-alkyl or di(C1-6-alkyl)aminoC1-6-alkyl; when R3 and R4 are present on the same C atom, R3 and R4 together may form -C(O)-NH-CH2-NR10- wherein R10 is H or aryl; when R3 and R4 are present on adjacent C atoms, R3 and R4 together may form :CH-CH:CH-CH: ; addnl. details are given in the claims.


IT 603991-96-4P

RL: ARG (Analytical reagent use); PAC (Pharmacological activity); PKT (Pharmacokinetics); SPN (Synthetic preparation); THU (Therapeutic use); ANST (Analytical study); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate and reagent for detection/identification of histone deacetylase; preparation of aryl and heteroaryl hydroxamic acids as inhibitors of histone deacetylase for treating proliferative diseases)

RN 603991-96-4 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-naphthalenylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)



IT 603991-95-3P 603992-24-1P 603992-25-2P


603992-26-3P 603992-27-4P 603992-28-5P

RL: ARG (Analytical reagent use); PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); ANST (Analytical study); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate and reagent for detection/identification of histone deacetylase; preparation of aryl and heteroaryl hydroxamic acids as inhibitors of histone deacetylase for treating proliferative diseases)

RN 603991-95-3 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-(diphenylacetyl)-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)



RN 603992-24-1 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-thienylacetyl)-1-piperazinyl]- (9CI) (CA INDEX NAME)

10/513699




RN 603992-25-2 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(1-naphthalenylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)



RN 603992-26-3 CAPLUS


CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(3-pyridinylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)



RN 603992-27-4 CAPLUS


CN 5-Pyrimidinecarboxamide, 2-[4-[(3,4-dimethoxyphenyl)acetyl]-1-piperazinyl]-N-hydroxy- (9CI) (CA INDEX NAME)

10/513699



RN 603992-28-5 CAPLUS

CN 5-Pyrimidinecarboxamide, N-hydroxy-2-[4-(2-pyridinylcarbonyl)-1-piperazinyl]- (CA INDEX NAME)



REFERENCE COUNT:


6

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

10/513699

=>

Uploading C:\Program Files\Stnexp\Queries\10506998.str



```
chain nodes :
19 32 34 45 46 47 56 57 58 60 61
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 20 21 22 23 24 25 26 27 28 29 30
31 39 40 41 42 43 44 49 50 52 53 54 55
chain bonds :
5-19 8-34 11-60 24-32 43-45 45-46 46-47 54-56 56-57 56-58 60-61
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 20-21 20-25
21-22 22-23 23-24 24-25 26-27 26-31 27-28 28-29 29-30 30-31 39-40 39-44
40-41 41-42 42-43 43-44 49-50 49-55 50-52 52-53 53-54 54-55
exact/norm bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-19 7-8 7-12 8-9 8-34 9-10 10-11 11-12 11-60
20-21 20-25 21-22 22-23 23-24 24-25 24-32 26-27 26-31 27-28 28-29 29-30
30-31 39-40 39-44 40-41 41-42 42-43 43-44 43-45 45-46 46-47 49-50 49-55
50-52 52-53 53-54 54-55 54-56 56-57 56-58 60-61
isolated ring systems :
containing 1 : 7 : 20 : 26 : 39 : 49 :
```

G1:C,N

G2:Ak,NH2,NO2

G3:O

<12/04/2007>

Erich Leese

10/513699

G4:[*1],[*2],[*3],[*4],[*5]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 19:CLASS 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom
26:Atom 27:Atom 28:Atom 29:Atom 30:Atom 31:Atom 32:CLASS 34:CLASS 39:Atom
40:Atom 41:Atom 42:Atom 43:Atom 44:Atom 45:CLASS 46:CLASS 47:CLASS 49:Atom
50:Atom 52:Atom 53:Atom 54:Atom 55:Atom 56:CLASS 57:CLASS 58:CLASS 60:CLASS
61:Atom

L21 STRUCTURE UPLOADED

=> d l21

L21 HAS NO ANSWERS

L21 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

=> s l21 full

REGISTRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress...

Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

FULL SEARCH INITIATED 17:29:20 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 9832549 TO ITERATE

3.8% PROCESSED 369181 ITERATIONS 1044 ANSWERS

8.1% PROCESSED 799150 ITERATIONS 3066 ANSWERS

10.2% PROCESSED 1000000 ITERATIONS 3732 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.48

FULL FILE PROJECTIONS: ONLINE **INCOMPLETE**
BATCH **INCOMPLETE**
PROJECTED ITERATIONS: 9832549 TO 9832549
PROJECTED ANSWERS: 36121 TO 37269

L22 3732 SEA SSS FUL L21

L23 179 L22

=> d his

```

(FILE 'HOME' ENTERED AT 15:38:20 ON 03 MAR 2008)

L1 FILE 'REGISTRY' ENTERED AT 15:41:17 ON 03 MAR 2008
L2     STRUCTURE UPLOADED
      64620 S L1 FULL

FILE 'CAPLUS' ENTERED AT 15:42:10 ON 03 MAR 2008
L3     16610 S L2 FULL
L4     466 S L3 AND INHIBIT!
L5     2 S L4 AND HISTONE DEACETYLASE

FILE 'REGISTRY' ENTERED AT 15:44:41 ON 03 MAR 2008

FILE 'REGISTRY' ENTERED AT 15:47:34 ON 03 MAR 2008
L6     STRUCTURE UPLOADED
L7     112 S L6 FULL

FILE 'CAPLUS' ENTERED AT 15:47:58 ON 03 MAR 2008
L8     9 S L7 FULL

FILE 'REGISTRY' ENTERED AT 15:54:14 ON 03 MAR 2008
L9     STRUCTURE UPLOADED
L10    8735 S L9 FULL

FILE 'CAPLUS' ENTERED AT 17:10:23 ON 03 MAR 2008
L11    3946 S L10 FULL

FILE 'REGISTRY' ENTERED AT 17:10:46 ON 03 MAR 2008
L12    STRUCTURE UPLOADED
L13    STRUCTURE UPLOADED
L14    213282 S L13 FULL
L15    STRUCTURE UPLOADED
L16    11 S L15

FILE 'CAPLUS' ENTERED AT 17:25:35 ON 03 MAR 2008
      S L15

FILE 'REGISTRY' ENTERED AT 17:25:53 ON 03 MAR 2008
L17    107 S L15 FULL

FILE 'CAPLUS' ENTERED AT 17:25:54 ON 03 MAR 2008
L18    9 S L17 FULL
L19    9 S L18 FULL

FILE 'CAPLUS' ENTERED AT 17:26:15 ON 03 MAR 2008
L20    9 S L19 FULL
L21    STRUCTURE UPLOADED
      S L21

FILE 'REGISTRY' ENTERED AT 17:29:20 ON 03 MAR 2008
L22    3732 S L21 FULL

FILE 'CAPLUS' ENTERED AT 17:30:09 ON 03 MAR 2008
L23    179 S L22 FULL

=> s 123 full

```


10/513699

L24 179 L22

=> s 124 and piperazine
30370 PIPERAZINE
3859 PIPERAZINES
31240 PIPERAZINE
(PIPERAZINE OR PIPERAZINES)
L25 31 L24 AND PIPERAZINE

=> s 125 and (pyrimidine or 1,3-diazine)
57439 PYRIMIDINE
16127 PYRIMIDINES
63705 PYRIMIDINE
(PYRIMIDINE OR PYRIMIDINES)
9521691 1
7172173 3
1274 DIAZINE
711 DIAZINES
1667 DIAZINE
(DIAZINE OR DIAZINES)
139 1,3-DIAZINE
(1(W)3(W) DIAZINE)
L26 7 L25 AND (PYRIMIDINE OR 1,3-DIAZINE)

=> d ibib abs hitstr tot

L26 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2008:91154 CAPLUS

DOCUMENT NUMBER: 148:191925

TITLE: Preparation of pyrazole derivatives as inositol
1,4,5-trisphosphate 3-kinase B (ITPKb) inhibitors
INVENTOR(S): Pan, Shifeng; Liu, Yi; Xie, Yun Feng; Cheng, Dai; Wan,
Yongqin; Han, Dong; Yang, Yang; Gao, Wenqi; Jiang,
Jiqing; Bursulaya, Badry; Chamberlain, Philip;
Karanewsky, Donald S.; Wang, Xia

PATENT ASSIGNEE(S): IRM LLC, Bermuda

SOURCE: PCT Int. Appl., 61pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent



LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2008011611	A2	20080124	WO 2007-US74048	20070720
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GO, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
PRIORITY APPLN. INFO.:			US 2006-832681P	P 20060721
			US 2007-893874P	P 20070308

GI



AB 3-Aryl- or 3-heteroaryl-1H-pyrazole derivs. [I; n = 0-3; m = 0-3; A can have up to 3 groups selected from -CR¹=, -CR²=, -CR³=, -CR⁴= and -CR⁵= replaced with N; R¹-R⁵ independently H, HO, halo, cyano, C1-6 alkyl, halo-C1-6 alkyl, hydroxy-C1-6 alkyl, cyano-C1-6 alkyl, C3-8 heterocycloalkyl-C0-4 alkyl, C1-10 heteroaryl-C0-4 alkyl, -XSO₂R¹¹, -XSO₂NR¹¹R¹², -XSO₂NR¹¹C(O)R¹², -XC(NR¹¹)NR¹¹OR¹², -XCR¹¹=NOR¹², -XC(O)R¹¹, -XC(O)OR¹¹, etc.; X = independently a bond or C1-4 alkylene; R¹¹ = H, C1-6 alkyl; R¹² = H, C1-6 alkyl, C6-10 aryl; or NR¹¹R¹² together forms a C3-8 heterocycloalkyl; R⁶, R⁷ = independently H or C1-3 alkyl; or CR⁶R⁷ together forms C3-7 cycloalkyl; R⁸ = C1-6 alkyl, halo-C1-3 alkyl, C1-6 alkoxy, -CH₂OR^{8a}, -CO₂R^{8a}, C2-6 alkenyl; or two R⁸ groups attached to different carbon atoms can combine to form an alkyl bridge; or two R⁸ groups attached to the same carbon can form a C3-8 cycloalkyl or carbonyl group; R^{8a} = H, C1-6 alkyl; R⁹ = each (un)substituted C6-10 aryl or C1-10 heteroaryl; R¹⁰ = H, C1-6 alkyl, -NR¹⁵R¹⁶, -NR¹⁵C(O)R¹⁶, -C(O)NR¹⁵R¹⁶; R¹⁵, R¹⁶ = independently H, C1-6 alkyl, or each (un)substituted C6-10 aryl, C1-10 heteroaryl, C3-12 cycloalkyl, or C3-8 heterocycloalkyl; Y, Z = independently CR²⁰ or N; R²⁰ = H or C1-4 alkyl] and pharmaceutically acceptable salts thereof are prepared. These compds. are useful to treat or prevent diseases or disorders associated with abnormal or deregulated B cell activities, particularly diseases or disorders that involve aberrant activation of inositol 1,4,5-trisphosphate 3-kinase B (ITPKb), e.g. autoimmune diseases, rheumatoid arthritis, and systemic lupus erythematosus, and B cell lymphoma. Thus, a solution of 60 mg 4-(4-formyl-1H-3-yl)benzonitrile, 34.7 mg 1-[5-(trifluoromethyl)pyridin-2-yl]piperazine, and 25 μ L glacial acetic acid in 5 mL methanol was stirred at room temperature for 30 min followed by the addition of 127 mg sodium triacetoxyborohydride in a single portion. The resulting mixture was heated at 40° for 1 h, and then cooled to room temperature to give, after HPLC purification and neutralization of the trifluoroacetate salt, 4-[4-(5-trifluoromethylpyridin-2-yl)piperazin-1-ylmethyl]-1H-pyrazol-3-yl]benzonitrile (II) as a white solid.

IT 1003019-12-2P, 4-[4-[[1-[5-(Trifluoromethyl)pyridin-2-yl]piperidin-

10/513699


4-yl)methyl]-1H-pyrazol-3-yl]benzonitrile

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
(Uses)

(preparation of pyrazole derivs. as inositol 1,4,5-trisphosphate 3-kinase B
(ITPKb) inhibitors for prevention and/or treatment autoimmune diseases,
rheumatoid arthritis, and systemic lupus erythematosus, and B cell
lymphoma)

RN 1003019-12-2 CAPLUS

CN Benzonitrile, 4-[4-[[1-[5-(trifluoromethyl)-2-pyridinyl]-4-
piperidinyl)methyl]-1H-pyrazol-3-yl]- (CA INDEX NAME)



L26 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2008:43697 CAPLUS

DOCUMENT NUMBER: 148:121730

TITLE: Preparation of pyrimidines and related compounds for the treatment of cell proliferative diseases

INVENTOR(S): Engelhardt, Harald; Bader, Gerd; Boehmelt, Guido; Brueckner, Ralph; Gerstberger, Thomas; Impagnatiello, Maria; Kuhn, Daniel; Schaaf, Otmar; Stadtmueller, Heinz; Waizenegger, Irene; Zoephel, Andreas

PATENT ASSIGNEE(S): Boehringer Ingelheim International GmbH, Germany

SOURCE: PCT Int. Appl., 67pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2008003766	A2	20080110	WO 2007-EP56853	20070705
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GO, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

PRIORITY APPLN. INFO.:



MARPAT 148:121730

EP 2006-116748

A 20060706

OTHER SOURCE(S):

GI




AB Title compds. I [X = CH or N; R1 = heterocycloalkyl (optionally substituted with alkyl, cycloalkyl, aryl, etc.); R2 = aryl, heterocycloalkyl or heteroaryl; R3 = halo, -CN, alkyl, etc.] or tautomers, racemates, enantiomers, diastereomers, or mixts. thereof, or pharmacol. acceptable acid salts thereof were prepared Thus, a multi-step synthesis of compound II, starting from 1-(benzyloxycarbonyl)piperazine, was given. Compds. I herein were tested for PDK1 kinase inhibition and antiproliferative activity. Pharmaceutical composition comprising compds. I is disclosed.

IT 1001000-50-5P 1001000-51-6P 1001003-24-2P
1001003-25-3P 1001003-26-4P 1001003-27-5P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of pyrimidines and related compds. for treatment of diseases characterized by excessive or abnormal cell proliferation)

RN 1001000-50-5 CAPLUS


CN Methanone, (4-amino-3,5-dichlorophenyl) [1-[4-[[5-(dimethylamino)-4-(3,4,6,7-tetrahydro-5H-imidazo[4,5-c]pyridin-5-yl)-2-pyrimidinyl]amino]phenyl]-4-piperidinyl]- (CA INDEX NAME)



10/513699


RN 1001000-51-6 CAPLUS

CN Methanone, [1-[4-[5-(dimethylamino)-4-(3,4,6,7-tetrahydro-5H-imidazo[4,5-c]pyridin-5-yl)-2-pyrimidinyl]amino]phenyl]-4-piperidinyl (4-fluorophenyl)-
(CA INDEX NAME)




RN 1001003-24-2 CAPLUS

CN Methanone, (4,4-difluoro-1-piperidinyl) [1-[4-[5-(dimethylamino)-4-(3,4,6,7-tetrahydro-5H-imidazo[4,5-c]pyridin-5-yl)-2-pyrimidinyl]amino]phenyl]-4-piperidinyl)- (CA INDEX NAME)




RN 1001003-25-3 CAPLUS

CN Methanone, (3,3-difluoro-1-piperidinyl) [1-[4-[5-(dimethylamino)-4-(3,4,6,7-tetrahydro-5H-imidazo[4,5-c]pyridin-5-yl)-2-pyrimidinyl]amino]phenyl]-4-piperidinyl)- (CA INDEX NAME)



RN 1001003-26-4 CAPLUS

CN Methanone, [1-[4-[5-(dimethylamino)-4-(3,4,6,7-tetrahydro-5H-imidazo[4,5-c]pyridin-5-yl)-2-pyrimidinyl]amino]phenyl]-4-piperidinyl]-4-morpholinyl-
(CA INDEX NAME)




RN 1001003-27-5 CAPLUS

CN Methanone, [1-[4-[5-(dimethylamino)-4-(3,4,6,7-tetrahydro-5H-imidazo[4,5-c]pyridin-5-yl)-2-pyrimidinyl]amino]phenyl]-4-piperidinyl] [(2R,6S)-2,6-

10/513699

dimethyl-4-morpholinyl]-, rel- (CA INDEX NAME)

Relative stereochemistry.





<12/04/2007>

Erich Leese

L26 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2007:1454807 CAPLUS
 DOCUMENT NUMBER: 148:78895
 TITLE: Preparation of quinoline derivatives as tyrosine
 kinases inhibitors
 INVENTOR(S): Gaudino, John; Boyd, Steven Armen; Marlow, Allison L.;
 Kaplan, Tomas; Fong, Kin Chiu; Seo, Jeongbeob; Tian,
 Hongqi; Blake, James; Koch, Kevin
 PATENT ASSIGNEE(S): Array Biopharma Inc., USA; Genentech, Inc.
 SOURCE: PCT Int. Appl., 189pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007146824	A2	20071221	WO 2007-US70787	20070608
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GO, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			


PRIORITY APPLN. INFO.: US 2006-811909P P 20060608
 OTHER SOURCE(S): MARPAT 148:78895
 GI




AB Title compds. represented by the formula I [wherein R1, R2, R4 = independently H, halo, CN, etc.; with the proviso that at least one of R1 and R2 is not H; L = (un)substituted (hetero)cyclyl or (hetero)aryl; R5 = -COH, (un)substituted amino, heterocyclyl, etc.; and stereoisomers, geometric isomers, tautomers, solvates, metabolites, and salts thereof] were prepared as tyrosine kinases inhibitors. For example, II was provided in a multi-step synthesis starting from the reaction of (2-methylbenzyl)zinc chloride with 4,6-dichloro-5-methylpyrimidine. Certain compds. of this invention had MKN45 cell-based activity IC50 values less than 100 nM. Thus, I and their pharmaceutical compns. are useful for inhibiting receptor tyrosine kinases and for treating hyperproliferative disorders mediated thereby.

IT 960297-78-3P, (4-Benzylpiperidin-1-yl)[4-[(6,7-dimethoxyquinolin-4-yl)oxy]-3-fluorophenyl]methanone
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of quinoline derivs. as tyrosine kinases inhibitors)
 RN 960297-78-3 CAPLUS
 CN Methanone, [4-[(6,7-dimethoxy-4-quinolinyl)oxy]-3-fluorophenyl][4-(phenylmethyl)-1-piperidinyl]- (CA INDEX NAME)

10/513699




IT 960297-79-4P, (4-Benzylpiperidin-1-yl)(3-fluoro-4-methoxyphenyl)methanone 960297-80-7P, (4-Benzylpiperidin-1-yl)(3-fluoro-4-hydroxyphenyl)methanone
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of quinoline derivs. as tyrosine kinases inhibitors)
RN 960297-79-4 CAPLUS
CN Methanone, (3-fluoro-4-methoxyphenyl)[4-(phenylmethyl)-1-piperidinyl]-
(CA INDEX NAME)



RN 960297-80-7 CAPLUS
CN Methanone, (3-fluoro-4-hydroxyphenyl)[4-(phenylmethyl)-1-piperidinyl]-
(CA INDEX NAME)

10/513699



<12/04/2007>

Erich Leese

L26 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2007:1392131 CAPLUS

DOCUMENT NUMBER: 148:55104

TITLE: Pyrrolo[1,2-*a*]pyrazin-1(2H)-one and pyrrolo[1,2-*d*][1,2,4]triazin-1(2H)-one derivatives as inhibitors of poly(ADP-ribose)polymerase (PARP) and their preparation, pharmaceutical compositions and use in the treatment of diseases

INVENTOR(S): Jones, Philip; Kinzel, Olaf; Llauger Bufi, Laura; Muraglia, Ester; Pescatore, Giovanna; Torrisi, Caterina

PATENT ASSIGNEE(S): Istituto di Ricerche di Biologia Molecolare P. Angeletti SpA, Italy

SOURCE: PCT Int. Appl., 143pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:



PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007/138355	A1	2007/1206	WO 2007-GB50300	2007/0529
<p>W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW</p> <p>RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM</p>				

PRIORITY APPLN. INFO.: GB 2006-10670 A 20060531


GB 2007-7359 A 20070417

OTHER SOURCE(S): MARPAT 148:55104

GI



- AB The invention relates to compds. of formula I: and pharmaceutically acceptable salts or tautomers thereof which are inhibitors of poly(ADP-ribose)polymerase (PARP) and thus useful for the treatment of cancer, inflammatory diseases, reperfusion injuries, ischemic conditions, stroke, renal failure, cardiovascular diseases, vascular diseases other than cardiovascular diseases, diabetes mellitus, neurodegenerative diseases, retroviral infections, retinal damage, skin senescence and UV-induced skin damage, and as chemo- or radiosensitizers for cancer treatment. Compds. of formula I wherein n is 0, 1, 2, and 3; X is N and CH; Y is (un)substituted Ph and (un)substituted 5-membered unsatd. heterocycle; and their pharmaceutically acceptable salts and tautomers thereof, are claimed. Example compound II•TFA was prepared by a multistep procedure (procedure given). All the invention compds. were evaluated for their PARP inhibitory activity.
- IT 959768-13-9P, 4-[3-[(4-Benzoylpiperidin-1-yl)carbonyl]-4-fluorobenzyl]-6,7-dichloropyrrolo[1,2-a]pyrazin-1(2H)-one
 959768-56-0P 959768-59-3P, 1-[[1-[5-[(6,7-Dichloro-1-oxo-1,2-dihydropyrrolo[1,2-a]pyrazin-4-yl)methyl]-2-fluorobenzoyl]piperidin-4-yl)methyl]-1H-imidazole trifluoroacetate 959770-22-0P,
 1-[[1-[5-[(6,7-Dichloro-1-oxo-1,2-dihydropyrrolo[1,2-a]pyrazin-4-yl)methyl]-2-fluorobenzoyl]piperidin-4-yl]-4-methylpiperidine trifluoroacetate
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (drug candidate; preparation of pyrrolopyrazinone and pyrrolotriazinone derivs. as poly(ADP-ribose)polymerase inhibitors useful in the treatment of diseases)
- RN 959768-13-9 CAPLUS
- CN Pyrrolo[1,2-a]pyrazin-1(2H)-one, 4-[[3-[(4-benzoyl-1-piperidinyl)carbonyl]-4-fluorophenyl)methyl]-6,7-dichloro- (CA INDEX NAME)




- RN 959768-56-0 CAPLUS
- CN Pyrrolo[1,2-a]pyrazin-1(2H)-one, 6,7-dichloro-4-[[4-(4-morpholinylmethyl)-1-piperidinyl]carbonyl]phenylmethyl]-, 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)

CM 1

CRN 959768-55-9

CMF C25 H27 Cl2 F N4 O3

10/513699



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 959768-59-3 CAPLUS


CN Pyrrolo[1,2-a]pyrazin-1(2H)-one, 6,7-dichloro-4-[[4-fluoro-3-[[4-(1H-imidazol-1-ylmethyl)-1-piperidiny]carbonyl]phenyl]methyl]-, 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)

CM 1

CRN 959768-58-2

CMF C24 H22 Cl2 F N5 O2

10/513699



CM 2

CRN 76-05-1

CMF C2 H F3 O2




RN 959770-22-0 CAPLUS

CN Pyrrolo[1,2-a]pyrazin-1(2H)-one, 6,7-dichloro-4-[[4-fluoro-3-[[4-(4-piperidinylmethyl)-1-piperidinyl]carbonyl]phenyl]methyl]-, 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)

CM 1

CRN 959770-21-9

CMF C26 H29 Cl2 F N4 O2



<12/04/2007>

Erich Leese

10/513699

CM 2

CRN 76-05-1

CMF C2 H F3 O2



REFERENCE COUNT:

4

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L26 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2007:1086827 CAPLUS
 DOCUMENT NUMBER: 147:385848
 TITLE: Trifluoroacetyl-substituted heterocycles as histone deacetylase inhibitors, their preparation, pharmaceutical compositions, and use in therapy
 INVENTOR(S): Jones, Philip; Ontoria Ontoria, Jesus Maria; Schultz-Fademrecht, Carsten
 PATENT ASSIGNEE(S): Istituto di Ricerche di Biologia Molecolare P. Angeletti S.p.A., Italy
 SOURCE: PCT Int. Appl., 44pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007107594	A2	20070927	WO 2007-EP52712	20070321
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GO, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
PRIORITY APPLN. INFO.:			GB 2006-5573	A 20060321
OTHER SOURCE(S):	MARPAT 147:385848			
GI				

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB The invention relates to trifluoroacetyl-substituted heterocycles of formula I, which are inhibitors of histone deacetylase (HDAC), particularly class II HDAC. In compds. I, each of X, Y, and Z is independently selected from N and CH; and each of R1 and R2 is independently selected from H, C2-6 alkenyl, C2-6 alkynyl, C3-8 cycloalkyl, C6-10 aryl, C6-10 aryl-C1-6 alkyl, C6-10 aryl-C1-6 alkoxy, 5- to 10-membered heterocyclyl, and 5- to 10-membered heteroaryl, or R1 and R2, together with the nitrogen atom to which they are attached, form (un)substituted 4- to 7-membered heterocyclyl; including salts and tautomers thereof. The invention also relates to the preparation of I, pharmaceutical compns. comprising a compound I and a pharmaceutically acceptable carrier, as well as to the use of the compns. for the treatment of conditions that respond to histone deacetylase inhibition, such as cellular proliferative diseases, neurodegenerative diseases, schizophrenia, and stroke. Addition of (trifluoromethyl)trimethylsilane to 6-fluoro-3-pyridinecarboxaldehyde followed by oxidation formed ketone II,

which underwent substitution with 4-phenylpiperidin-4-ol to give the trifluoroacetate salt of (trifluoroacetyl)pyridine III. The compds. of the invention, e.g., III, expressed IC50 values of less than 10 μ M in the assays used (no specific data).

IT 950687-64-6P, 2-(3-Benzylpyrrolidin-1-yl)-5-(trifluoroacetyl)pyridine trifluoroacetate 950687-68-0P, 2-(4-Benzoylpiperidin-1-yl)-5-(trifluoroacetyl)pyridine trifluoroacetate
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (drug candidate; preparation of trifluoroacetyl-substituted heterocycles as histone deacetylase inhibitors)
 RN 950687-64-6 CAPLUS
 CN Ethanone, 2,2,2-trifluoro-1-[6-[3-(phenylmethyl)-1-pyrrolidinyl]-3-pyridinyl]-, 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)
 CM 1
 CRN 950687-63-5
 CMF C18 H17 F3 N2 O




CM 2
 CRN 76-05-1
 CMF C2 H F3 O2



RN 950687-68-0 CAPLUS
 CN Ethanone, 1-[6-(4-benzoyl-1-piperidinyl)-3-pyridinyl]-2,2,2-trifluoro-, 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)
 CM 1
 CRN 950687-67-9
 CMF C19 H17 F3 N2 O2

10/513699



CM 2

CRN 76-05-1

CMF C2 H F3 O2



<12/04/2007>

Erich Leese

L26 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2007:672604 CAPLUS

DOCUMENT NUMBER: 147:95662

TITLE: Polycyclic indazole derivatives that are ERK inhibitors and their preparation, pharmaceutical compositions and use in the treatment of cancer

INVENTOR(S): Cooper, Alan; Deng, Yongqi; Shipps, Gerald W., Jr.; Shih, Neng-Yang; Zhu, Hugh; Sun, Robert; Kelly, Joseph; Doll, Ronald; Nan, Yang; Wang, Tong; Desai, Jagdish; Wang, James; Dong, Youhao; Madison, Vincent S.; Li, Xiao; Hruza, Alan; Siddiqui, M. Arshad; Samatar, Ahmed; Paliwal, Sunil; Tsui, Hon-Chung; Celebi, Azim A.; Wu, Yiji; Boga, Sobhana Babu

PATENT ASSIGNEE(S): Schering Corporation, USA

SOURCE: PCT Int. Appl., 505pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007070398	A1	20070621	WO 2006-US46959	20061211
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
US 2007191604	A1	20070816	US 2006-636954	20061211
PRIORITY APPLN. INFO.:			US 2005-749856P	P 20051213
OTHER SOURCE(S):	MARPAT 147:95662			
GI				

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Disclosed are the ERK inhibitors of formula I and the pharmaceutically acceptable salts and solvates thereof. Comps. of formula I wherein Q is (un)substituted piperidine or piperazine ring that can have a bridge or a fused ring; Y1, Y2, and Y3 are independently CH=, N=, etc.; n is 1 to 3; R1 is CN, NO2, OH and derivs., SH and derivs., acyl, etc.; R2 is H, CN, halo, (un)substituted alkyl, alkynyl, alkenyl, etc.; R8 is H, OH, NH2 and derivs., alkyl, and aminocarbonyl; each R35 is independently H and C1-6 alkyl; R36 is H, alkyl, and alkoxy; and their pharmaceutically acceptable salts thereof, are claimed. Also disclosed are methods of treating cancer using the comps. of formula I. Example compound II was prepared by a multistep procedure (procedure given). All the invention

10/513699

comps. were evaluated for their ERK inhibitory activity (data given).
IT 942190-26-3P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)
(intermediate; preparation of polycyclic indazole derivs. as ERK inhibitors
and their use in the treatment and prevention of cancer)
RN 942190-26-3 CAPLUS
CN 3-Pyrrolidinecarboxylic acid, 3-(4-morpholinylmethyl)-1-(phenylmethyl)-,
methyl ester (CA INDEX NAME)



REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L26 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2007:619346 CAPLUS

DOCUMENT NUMBER: 147:52936

TITLE: Preparation of alicyclic heterocycles as CCR4 function regulators

INVENTOR(S): Furukubo, Shigeru; Miyazaki, Hiroshi

PATENT ASSIGNEE(S): Tanabe Seiyaku Co., Ltd., Japan

SOURCE: PCT Int. Appl., 184pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007063934	A1	20070607	WO 2006-JP323908	20061130
<p>W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW</p> <p>RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM</p>				
PRIORITY APPLN. INFO.:			JP 2005-348597	A 20051202
			US 2005-750038P	P 20051214
OTHER SOURCE(S):			MARPAT 147:52936	
GI				

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Title compds. I [ring A = Q1, etc.; ring B = (un)substituted aromatic hydrocarbon ring, (un)substituted heterocycle; P1, P2 = CH, N with the proviso that P1 and P2 can not be CH simultaneously; q, r = 0-2; m = 1, 2; X = -N(R7)-, -O-, -C(R8)(R9)-; Y = -C(R10)(R11)-, -CO-, -SO2-; Z = alkylene (optionally substituted with oxo), -CON(R12)-, -SO2N(R12)-, etc.; R1 = H, alkyl, alkoxy, etc.; R2 = H, alkyl, alkoxy, carbonyl, etc.; R3 = (un)substituted hydrocarbon ring, (un)substituted heterocycle, hydroxy, etc.; R7 = H, alkyl; R8, R9, R10, and R11 = H, alkyl; R12 = H, alkyl and their pharmaceutically acceptable salts were prepared. For example, reaction of (5-chloro-pyrazolo[1,5-a]pyrimidin-7-yl)-(2,4-dichloro-benzyl)amine, e.g. prepared from 3-aminopyrazole in 3 steps, with (R)-2-(piperazine-1-carbonyl)-pyrrolidine-1-carboxylic acid tert-Bu ester followed by treatment with trifluoroacetic acid afforded compound II. Of note, compds. I are useful as CCR4 function regulators for the treatment of bronchial asthma and atopic dermatitis (no data).

IT 939977-40-9P


RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP

(Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation of alicyclic heterocycles as CCR4 function regulators)

RN 939977-40-9 CAPLUS

CN 3-Pyridazinecarboxylic acid, 4-[[[(2,4-dichlorophenyl)methyl]amino]-6-[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]-, methyl ester (CA INDEX NAME)



IT 939976-73-5P 939977-36-3P 939977-38-5P

939977-50-1P 939977-60-3P 939977-85-2P

939977-87-4P 939978-11-7P 939978-12-8P

939978-17-3P 939978-18-4P 939978-19-5P

939978-26-4P 939978-34-4P 939978-35-5P


939978-36-6P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of alicyclic heterocycles as CCR4 function regulators)

RN 939976-73-5 CAPLUS


CN 2-Pyrrolidinone, 4-[[4-[4-[[[(2,4-dichlorophenyl)methyl]amino]thieno[3,2-d]pyrimidin-2-yl]-1-piperazinyl]carbonyl]-1-(2-methoxyphenyl)- (CA INDEX NAME)



RN 939977-36-3 CAPLUS


CN 2-Pyrazinecarboxamide, 3-[[[(2,4-dichlorophenyl)methyl]amino]-5-[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]- (CA INDEX NAME)

10/513699




RN 939977-38-5 CAPLUS

CN 2-Pyrazinecarbonitrile, 3-[[[(2,4-dichlorophenyl)methyl]amino]-5-[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]- (CA INDEX NAME)




RN 939977-50-1 CAPLUS

CN 3-Pyridazinecarboxamide, 4-[[[(2,4-dichlorophenyl)methyl]amino]-6-[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]- (CA INDEX NAME)




RN 939977-60-3 CAPLUS

CN 1,2,4-Triazin-5-amine, N-[(2,4-dichlorophenyl)methyl]-6-phenyl-3-[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]- (CA INDEX NAME)




RN 939977-85-2 CAPLUS

CN 1,2,4-Triazine-6-carboxylic acid, 5-[[[(2,4-dichlorophenyl)methyl]amino]-3-[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]-, ethyl ester (CA INDEX NAME)




RN 939977-87-4 CAPLUS

CN 5-Pyrimidinecarboxylic acid, 4-[[[(2,4-dichlorophenyl)methyl]amino]-2-[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]-, ethyl ester (CA INDEX NAME)



RN 939978-11-7 CAPLUS


CN 1,2,4-Triazine-6-carboxamide, 5-[[[(2,4-dichlorophenyl)methyl]amino]-N-ethyl-3-[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]- (CA INDEX NAME)



RN 939978-12-8 CAPLUS


CN 1,2,4-Triazine-6-carboxylic acid, 5-[[[(2,4-dichlorophenyl)methyl]amino]-3-[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]-, ethyl ester (CA INDEX NAME)

[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]- (CA INDEX NAME)




RN 939978-17-3 CAPLUS

CN 1,2,4-Triazine-6-carboxamide, 5-[[[(2,4-dichlorophenyl)methyl]amino]-N-propyl-3-[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]- (CA INDEX NAME)




RN 939978-18-4 CAPLUS

CN 1,2,4-Triazine-6-carboxamide, 5-[[[(2,4-dichlorophenyl)methyl]amino]-N-(1-methylethyl)-3-[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]- (CA INDEX NAME)



RN 939978-19-5 CAPLUS


CN 1,2,4-Triazine-6-carboxamide, 5-[[[(2,4-dichlorophenyl)methyl]amino]-N-methyl-3-[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]- (CA INDEX NAME)



10/513699


RN 939978-26-4 CAPLUS

CN 1,2,4-Triazine-6-carboxamide, 5-[[(2,4-dichlorophenyl)methyl]amino]-3-[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]- (CA INDEX NAME)




RN 939978-34-4 CAPLUS

CN Methanone, [4-[[(2,4-dichlorophenyl)methyl]amino]-2-[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]-5-pyrimidinyl] (3-methoxyphenyl)- (CA INDEX NAME)



RN 939978-35-5 CAPLUS

CN Ethanone, 1-[1-[4-[[(2,4-dichlorophenyl)methyl]amino]-5-(3-methoxybenzoyl)-2-pyrimidinyl]-4-piperidinyl]-2-(1-pyrrolidinyl)- (CA INDEX NAME)




10/513699

RN 939978-36-6 CAPLUS

CN 1-Pyrrolidinecarboxylic acid, 2-[[1-[4-[[[(2,4-dichlorophenyl)methyl]amino]-5-(3-methoxybenzoyl)-2-pyrimidinyl]-4-piperidinyl]carbonyl]-, 1,1-dimethylethyl ester, (2R)- (CA INDEX NAME)

Absolute stereochemistry.




IT 939979-21-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of alicyclic heterocycles as CCR4 function regulators)

RN 939979-21-2 CAPLUS

CN 3-Pyridazinecarboxylic acid, 4-[[[(2,4-dichlorophenyl)methyl]amino]-6-[4-[2-(1-pyrrolidinyl)ethyl]-1-piperidinyl]- (CA INDEX NAME)



REFERENCE COUNT:

11

THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

10/513699

=> d his

```
(FILE 'HOME' ENTERED AT 15:38:20 ON 03 MAR 2008)

FILE 'REGISTRY' ENTERED AT 15:41:17 ON 03 MAR 2008
L1      STRUCTURE UPLOADED
L2      64620 S L1 FULL

FILE 'CAPLUS' ENTERED AT 15:42:10 ON 03 MAR 2008
L3      16610 S L2 FULL
L4      466 S L3 AND INHIBIT!
L5      2 S L4 AND HISTONE DEACETYLASE

FILE 'REGISTRY' ENTERED AT 15:44:41 ON 03 MAR 2008

FILE 'REGISTRY' ENTERED AT 15:47:34 ON 03 MAR 2008
L6      STRUCTURE UPLOADED
L7      112 S L6 FULL

FILE 'CAPLUS' ENTERED AT 15:47:58 ON 03 MAR 2008
L8      9 S L7 FULL

FILE 'REGISTRY' ENTERED AT 15:54:14 ON 03 MAR 2008
L9      STRUCTURE UPLOADED
L10     8735 S L9 FULL

FILE 'CAPLUS' ENTERED AT 17:10:23 ON 03 MAR 2008
L11     3946 S L10 FULL

FILE 'REGISTRY' ENTERED AT 17:10:46 ON 03 MAR 2008
L12     STRUCTURE UPLOADED
L13     STRUCTURE UPLOADED
L14     213282 S L13 FULL
L15     STRUCTURE UPLOADED
L16     11 S L15

FILE 'CAPLUS' ENTERED AT 17:25:35 ON 03 MAR 2008
        S L15

FILE 'REGISTRY' ENTERED AT 17:25:53 ON 03 MAR 2008
L17     107 S L15 FULL

FILE 'CAPLUS' ENTERED AT 17:25:54 ON 03 MAR 2008
L18     9 S L17 FULL
L19     9 S L18 FULL

FILE 'CAPLUS' ENTERED AT 17:26:15 ON 03 MAR 2008
L20     9 S L19 FULL
L21     STRUCTURE UPLOADED
        S L21

FILE 'REGISTRY' ENTERED AT 17:29:20 ON 03 MAR 2008
L22     3732 S L21 FULL

FILE 'CAPLUS' ENTERED AT 17:30:09 ON 03 MAR 2008
L23     179 S L22 FULL
L24     179 S L23 FULL
```

<12/04/2007>

Erich Leese

10/513699

L25 31 S L24 AND PIPERAZINE
L26 7 S L25 AND (PYRIMIDINE OR 1,3-DIAZINE)

=> log y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	56.43	1324.86
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-5.60	-21.60

STN INTERNATIONAL LOGOFF AT 17:39:46 ON 03 MAR 2008